btinfo@biotium.com http://www.biotium.com/

MATERIAL SAFETY DATA SHEET

Date Revised: March 23, 2016

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: 5X Firefly Lysis Buffer Gatalog Number: 99923/ 30003B-T Unit Size: 15 mL/5 mL Manufacturer/Supplier: Biotium, Inc.

3159 Corporate Place, Hayward, CA 94545, USA Phone: 1-510-265-1027, Fax: 1-510-265-1352

Web: http://www.biotium.com

2. HAZARDS IDENTIFICATION

Classification according to Regulation (EC) No 1272/2008[CLP]

Not classified

Classification according to Directive 1999/45/EC

Not classified

Labelling according to Regulation (EC) No 1272/2008[CLP]

Hazard pictogram

None

Signal word

None

Hazard statements

None

Precautionary statements

None

HMIS Classification (Triton X-100)

Health hazard: 2 Flammability: 1 Physical hazards: 0

NFPA Rating (Triton X-100)

Health hazard: 2

Fire: 1

Reactivity Hazard: 0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Name	CAS No.	EC No.	Index No.	Weight %	Classification according to 67/548/EEC	Classification according to regulation (EC)No1278/2008
Triton X- 100	9002-93-1	N/A	N/A	5%	N/A	N/A
Glycerol	56-81-5	200-289-5	N/A	<50%	N/A	N/A

4. FIRST- AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

MSDS Page 1 of 6



btinfo@biotium.com http://www.biotium.com/

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Suitable extinguishing media

carbon dioxide, dry chemical extinguishers, foam extinguishers or water.

Special protective equipment for firefighters

Wear self contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Avoid breathing vapors, mist or gas. Remove all sources of ignition.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage. Soak up spilled substance with inert absorbent material. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid inhalation of vapor or mist.

Avoid direct contact with substance.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Store at -20°C.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Substance Glycerol

CAS no. 56-81-5

cou	untry	Austria	Belgium	Denmark	European Union	France	Germany
Lim valu	nit ue,8hours		10 mg/m ³	1	-	10 mg/m ³	50 mg/m ³ inhalable aerosol
	nit value, ort term				-		100 mg/m ³ inhalable aerosol

country	Hungary	Italy	Poland	Spain	Sweden	Netherlands	Switzerland
Limit			10 mg/m ³	10 mg/m ³			50 mg/m ³
value,8hours							inhalable



btinfo@biotium.com http://www.biotium.com/

				aerosol
Limit value,	 	 	 	100 mg/m ³
short term				inhalable
				aerosol

country	United Kingdom	USA- NIOSH	USA- OSHA	Australia	Canada	Japan	South Korea
Limit value,8hours	10 mg/m ³		15 mg/m ³ inhalable dust 5 mg/m ³ respirable dust	10 mg/m ³ (1)	10 mg/m ³		10 mg/m ³
Limit value, short term							

Australia (1) This value is for inhalable dust containing no asbestos and < 1% crystalline silica.

Germany STV 15 minutes average value

Personal protective equipment

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Respiratory protection

Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Eye protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Chemical Name	5X Firefly Lysis			
	Buffer			
Appearance	Clear liquid			
Odor	No data available			
Odor threshold	No data available			
pH	7.8			
Melting point/freezing point	No data available			
Boiling point	No data available			
Flash point	No data available			
Evaporate rate	No data available			
Flammability	No data available			
Explosive limits	No data available			
Vapor pressure	No data available			
Vapor density	No data available			
Relative density	No data available			
Solubility	Water soluble			
Partition coefficient:n-octanol/water	No data available			
Auto-ignition temperature	No data available			
Decomposition temperature	No data available			
Viscosity	No data available			
Explosive properties	No data available			



btinfo@biotium.com http://www.biotium.com/

Oxidizing properties No data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

No data available

Conditions to avoid

Heat, flames and sparks.

Materials to avoid

No data available

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50 LD50 Oral – Rat - 1,800 mg/kg (Triton X-100)

LD50 Oral - Rat - 12,600 mg/kg (Glycerol)

Inhalation LC50 No data available

Dermal LD50 LD50 Dermal – Rabbit - 8,000 mg/kg (Triton X-100)

LD50 Dermal – Rabbit - > 10,000 mg/kg (Glycerol)

Other information on acute toxicity no data available

Skin corrosion/irritation Skin – Rabbit Result: Mild skin irritation - 24 h (Glycerol)

Serious eye damage/eye irritation Eyes – Rabbit Result: Moderate eye irritation - 24 h (Triton X-100)

Eyes – Rabbit Result: Mild eye irritation - 24 h (Glycerol)

Respiratory or skin sensitization no data available

Germ cell mutagenicity no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.



btinfo@biotium.com http://www.biotium.com/

Additional Information

RTECS: Triton X-100: MD0907700; Glycerol: MA8050000

Prolonged or repeated exposure may cause:, Nausea, Headache, Vomiting, To the best of our knowledge,

the chemical, physical, and toxicological properties have not been thoroughly investigated.

Kidney - Irregularities - Based on Human Evidence (Glycerol)

12. ECOLOGICAL INFORMATION

Toxicity Toxicity to fish (Triton X-100): LC50-Pimephales promelas (fathead minnow)

- 8.9 mg/l-96.0 h

Toxicity to daphnia and other aquatic invertebrates (Triton X-100): EC50-Daphnia

(water flea)-26 mg/l-48 h

Persistence and degradability

Biotic/Aerobic Biochemical oxygen demand (Triton X-100) - Exposure time 28 d

Result: 36 % - Not readily biodegradable.(Closed Bottle test)

Mobility in soil no information available

Results of PBT and vPvB assessment no information available

Other adverse effects An environmental hazard cannot be excluded in the event of unprofessional

handling or disposal. Toxic to aquatic life with long lasting effects

Additional information no information available

13. DISPOSAL CONSIDERATIONS

Do not dispose product directly into sewage. Consult local state or national regulation for proper disposal.

14. TRANSPORT INFORMATION

IATA, IMDG, DOT(US)

UN number 3082

UN proper shipping name
Environmentally hazardous substance, liquid, n.o.s. (p-tertiary-Octylphenoxy

polyethyl alcohol)

Transport hazard class 9

Packing group III

Environmental hazards Marine pollutant

Special precaution for user none

15. REGULATION INFORTMATION

US Federal Regulations

US Toxic Substances Control Act (TSCA): Not listed

SARA 302: No chemicals were found. SARA 313: No chemicals were found.

SARA 311/312 Hazards: No chemicals were found.

16. OTHER INFORMATION

Classification according to Regulation (EC) Nr. 1272/2008

Refer to section 2 and section 3



btinfo@biotium.com http://www.biotium.com/

Prepared by: Regulatory Department

Biotium Inc.

Version no. 4

Reason for revision Corrections to hazard classifications.

The information provided above is believed to be correct to our best knowledge, but does not purport to be all inclusive, and shall be used only as a guide. This material is sold for research purposes only and is not required to appear on the TSCA inventory. It is not intended for food, drug, household, agricultural or cosmetic use. Its use must be supervised by a technically qualified individual experienced in handling potentially hazardous chemicals. Biotium shall not be held liable for any damage resulting from handling or contact with the above product.