biotium
Glowing Products for Science™
www.biotium.com

Revised: November 10, 2021

Selected GelRed® & GelGreen® References, by Application

Click on the blue link to see journal article

Contents:
Publications using GelRed® and GelGreen® in selected applications are shown below.

GelRed® References by Application

Agarose Gels

Boulet, G. A., et al. Nucleic acid sequence-based amplification assay for human papillomavirus mRNA detection and typing: evidence for DNA amplification. J Clin Microbiol 48(7), 2524-2529, (2010), DOI: JCM.00173-10 [pii] 10.1128/JCM.00173-10

Brow, C. N., et al. Effects of cryogenic preservation and storage on the molecular characteristics of microorganisms in sediments. Environ Sci Technol 44(21), 8243-8247, (2010), DOI: 10.1021/es101641y

Casu, R. E., et al. High-throughput assessment of transgene copy number in sugarcane using real-time quantitative PCR. Plant Cell Rep 31(1), 167-177, (2012), DOI: 10.1007/s00299-011-1150-7

Civit, L., et al. Evaluation of techniques for generation of single-stranded DNA for quantitative detection. Anal Biochem 431(2), 132-138, (2012), DOI: S0003-2697(12)00450-2 [pii] 10.1016/j.ab.2012.09.003

Ding, X. L., et al. Mutation-sensitive molecular switch method to detect CES1A2 mutation in the Chinese Han and Yao populations. Genet Test Mol Biomarkers 15(9), 659-662, (2011), DOI: 10.1089/gtmb.2011.0010

Ducatez, M. F., et al. Genotyping assay for the identification of 2009-2010 pandemic and seasonal H1N1 influenza virus reassortants. J Virol Methods 168(1-2), 78-81, (2010), DOI: S0166-0934(10)00156-4 [pii] 10.1016/j.jviromet.2010.04.020

Gabor, M. Genotyping Single Nucleotide Polymorphism C4685T in 14.Intron of Bovine CAPN1 Gene by Rapid Tetra-Primer ARMS-PCR Method. Animal Science and Biotechnologies 44(1), 209-212, (2011).

Gonzalez-Gonzalez, E., et al. Portable and accurate diagnostics for COVID-19: Combined use of the miniPCR thermocycler and a well-plate reader for SARS-CoV-2 virus detection. PLoS One 15(8), e0237418, (2020), DOI: 10.1371/journal.pone.0237418

Haines, A. M., et al. Properties of nucleic acid staining dyes used in gel electrophoresis. Electrophoresis 36(6), 941-944, (2015), DOI: 10.1002/elps.201400496

Kwong, F. N., et al. Chordin knockdown enhances the osteogenic differentiation of human mesenchymal stem cells. Arthritis Res Ther 10(3), R65, (2008), DOI: ar2436 [pii] 10.1186/ar2436

Lebbad, M., et al. Dominance of Giardia assemblage B in Leon, Nicaragua. Acta Trop 106(1), 44-53, (2008), DOI: S0001-706X(08)00024-7 [pii] 10.1016/j.actatropica.2008.01.004

Machado, V. Molecular Characterization of Host Strains of Spodoptera frugiperda (Lepidoptera: Noctuidae) in Southern Brazil. ANNALS OF THE ENTOMOLOGICAL SOCIETY OF AMERICA 101(3), 619-626, (2008), 10.1603/0013-8746

Podder, M., et al. Robust SNP genotyping by multiplex PCR and arrayed primer extension. BMC Med Genomics 1, 5, (2008), DOI: 1755-8794-1-5 [pii] 10.1186/1755-8794-1-5

Ragone, S., et al. Structural basis for inhibition of homologous recombination by the RecX protein. EMBO J 27(16), 2259-2269, (2008), DOI: emboj2008145 [pii] 10.1038/emboj.2008.145 (Strand exchange assay, ssDNA)

Rode, C., et al. Antibacterial Zinc Oxide Nanoparticle Coating of Polyester Fabrics. Journal of Textile Science and Technology 1, 65-74, (2015), DOI: http://dx.doi.org/10.4236/jtst.2015.12007

Rogers, G. B., et al. Assessing the diagnostic importance of nonviable bacterial cells in respiratory infections. Diagn Microbiol Infect Dis 62(2), 133-141, (2008), DOI: S0732-8893(08)00299-X [pii] 10.1016/j.diagmicrobio.2008.06.011

Wolfson, J. J., et al. Subtilase cytotoxin activates PERK, IRE1 and ATF6 endoplasmic reticulum stress-signalling pathways. Cell Microbiol 10(9), 1775-1786, (2008), DOI: CMI1164 [pii] 10.1111/j.1462-5822.2008.01164.x (Agarose gel analysis DNA fragmentation in apoptotic cells)

Cloning & Sequencing

Boulet, G. A., et al. Nucleic acid sequence-based amplification assay for human papillomavirus mRNA detection and typing: evidence for DNA amplification. J Clin Microbiol 48(7), 2524-2529, (2010), DOI: JCM.00173-10 [pii] 10.1128/JCM.00173-10

Kataoka, R. Comparison of the bacterial communities established on the mycorrhizae formed on Pinus thunbergii root tips by eight species of fungi. Plant Soil 304, 267-275, (2008), DOI: 10.1007/s11104-008-9548-x

Lebbad, M., et al. Dominance of Giardia assemblage B in Leon, Nicaragua. Acta Trop 106(1), 44-53, (2008), DOI: S0001-706X(08)00024-7 [pii] 10.1016/j.actatropica.2008.01.004

Machado, V. Molecular Characterization of Host Strains of Spodoptera frugiperda (Lepidoptera: Noctuidae) in Southern Brazil. ANNALS OF THE ENTOMOLOGICAL SOCIETY OF AMERICA 101(3), 619-626, (2008), 10.1603/0013-8746

Xu, Y. Bacterial communities in soybean rhizosphere in response to soil type, soybean genotype, and their growth stage. Soil Biology & Biochemistry 41(5), 919-925, (2008), DOI: 10.1016/j.soilbio.2008.10.027

Denaturing Gradient Gel Electrophoresis (DGGE)

Kataoka, R. Comparison of the bacterial communities established on the mycorrhizae formed on Pinus thunbergii root tips by eight species of fungi. Plant Soil 304, 267-275, (2008), DOI: 10.1007/s11104-008-9548-x.

Xu, Y. Bacterial communities in soybean rhizosphere in response to soil type, soybean genotype, and their growth stage. Soil Biology & Biochemistry 41(5), 919-925, (2008), DOI: 10.1016/j.soilbio.2008.10.027

Gel Extraction

Boulet, G. A., et al. Nucleic acid sequence-based amplification assay for human papillomavirus mRNA detection and typing: evidence for DNA amplification. J Clin Microbiol 48(7), 2524-2529, (2010), DOI: JCM.00173-10 [pii] 10.1128/JCM.00173-10

Francia, S., et al. Site-specific DICER and DROSHA RNA products control the DNA-damage response. Nature 488(7410), 231-235, (2012), DOI: nature11179 [pii] 10.1038/nature11179

Han, D., et al. Engineering a cell-surface aptamer circuit for targeted and amplified photodynamic cancer therapy. ACS Nano 7(3), 2312-2319, (2013), DOI: 10.1021/nn305484p

Kataoka, R. Comparison of the bacterial communities established on the mycorrhizae formed on Pinus thunbergii root tips by eight species of fungi. Plant Soil 304, 267-275, (2008), DOI: 10.1007/s11104-008-9548-x.

Machado, V. Molecular Characterization of Host Strains of Spodoptera frugiperda (Lepidoptera: Noctuidae) in Southern Brazil. ANNALS OF THE ENTOMOLOGICAL SOCIETY OF AMERICA 101(3), 619-626, (2008), 10.1603/0013-8746

Xu, Y. Bacterial communities in soybean rhizosphere in response to soil type, soybean genotype, and their growth stage. Soil Biology & Biochemistry 41(5), 919-925, (2008), DOI: 10.1016/j.soilbio.2008.10.027

Mobility Shift Gels (EMSA)

Liu, Y., et al. The crystal structure of the human nascent polypeptide-associated complex domain reveals a nucleic acid-binding region on the NACA subunit. Biochemistry 49(13), 2890-2896, (2010), DOI: 10.1021/bi902050p

Lu, J., et al. Structural and functional analysis of Utp23, a yeast ribosome synthesis factor with degenerate PIN domain. RNA 19(12), 1815-1824, (2013), DOI: rna.040808.113 [pii] 10.1261/rna.040808.113

Pilalis, E., et al. Escherichia coli genome-wide promoter analysis: identification of additional AtoC binding target elements. BMC Genomics 12(1), 238, (2011), DOI: 1471-2164-12-238 [pii] 10.1186/1471-2164-12-238

Tateishi, Y., et al. Molecular basis for SUMOylation-dependent regulation of DNA binding activity of heat shock factor 2. J Biol Chem 284(4), 2435-2447, (2009), DOI: M806392200 [pii] 10.1074/jbc.M806392200

Polyacrylamide Gel Electrophoresis (PAGE)

Feng, J. and Jan, C. C. Introgression and molecular tagging of Rf (4), a new male fertility restoration gene from wild sunflower Helianthus maximiliani L. Theor Appl Genet 117(2), 241-249, (2008), DOI: 10.1007/s00122-008-0769-4

Grindel, A., et al. Oxidative Stress, DNA Damage and DNA Repair in Female Patients with Diabetes Mellitus Type 2. PLoS One 11(9), e0162082, (2016), DOI: 10.1371/journal.pone.0162082 (PAGE GelRed® Nucleic Acid Gel Stain)

Katarína Ražná, J. Ž., Zdenka Gálová. MicroRNA-Based Markers in Plant Genome Response to Abiotic Stress and Their Application in Plant Genotyping. IntechOpen Non-coding RNAs, (2019), DOI: 10.5772/intechopen.88064 (PAGE GelRed® Nucleic Acid Gel Stain)

Luevano-Martinez, L. A., et al. Cardiolipin is a key determinant for mtDNA stability and segregation during mitochondrial stress. Biochim Biophys Acta 1847(6-7), 587-598, (2015), DOI: 10.1016/j.bbabio.2015.03.007 (PAGE GelRed® Nucleic Acid Gel Stain)

Nikitopoulou, I., et al. Vascular endothelial-cadherin downregulation as a feature of endothelial transdifferentiation in monocrotaline-induced pulmonary hypertension. Am J Physiol Lung Cell Mol Physiol 311(2), L352-363, (2016), DOI: 10.1152/ajplung.00156.2014 (PAGE GelRed® Nucleic Acid Gel Stain)

Purhonen, J., et al. A sensitive assay for dNTPs based on long synthetic oligonucleotides, EvaGreen dye and inhibitor-resistant high-fidelity DNA polymerase. Nucleic Acids Res 48(15), e87, (2020), DOI: 10.1093/nar/gkaa516 (PAGE GelRed® Nucleic Acid Gel Stain)

PCR Products

Lebbad, M., et al. Dominance of Giardia assemblage B in Leon, Nicaragua. Acta Trop 106(1), 44-53, (2008), DOI: S0001-706X(08)00024-7 [pii] 10.1016/j.actatropica.2008.01.004

Machado, V. Molecular Characterization of Host Strains of Spodoptera frugiperda (Lepidoptera: Noctuidae) in Southern Brazil. ANNALS OF THE ENTOMOLOGICAL SOCIETY OF AMERICA 101(3), 619-626, (2008), 10.1603/0013-8746

Meza-Robles, C., et al. One-step nested RT-PCR for COVID-19 detection: A flexible, locally developed test for SARS-CoV2 nucleic acid detection. J Infect Dev Ctries 14(7), 679-684, (2020), DOI: 10.3855/jidc.12726

Podder, M., et al. Robust SNP genotyping by multiplex PCR and arrayed primer extension. BMC Med Genomics 1, 5, (2008), DOI: 1755-8794-1-5 [pii] 10.1186/1755-8794-1-5

Rogers, G. B., et al. Assessing the diagnostic importance of nonviable bacterial cells in respiratory infections. Diagn Microbiol Infect Dis 62(2), 133-141, (2008), DOI: S0732-8893(08)00299-X [pii] 10.1016/j.diagmicrobio.2008.06.011

Silva Junior, J. V. J., et al. End-point RT-PCR: A potential alternative for diagnosing coronavirus disease 2019 (COVID-19). J Virol Methods 288, 114007, (2021), DOI: 10.1016/j.jviromet.2020.114007

Xu, Y. Bacterial communities in soybean rhizosphere in response to soil type, soybean genotype, and their growth stage. Soil Biology & Biochemistry 41(5), 919-925, (2008), DOI: 10.1016/j.soilbio.2008.10.027

Pulsed Field Gel Electrophoresis (PFGE)

Ikeda-Dantsuji, Y., et al. Linezolid-resistant Staphylococcus aureus isolated from 2006 through 2008 at six hospitals in Japan. J Infect Chemother 17(1), 45-51, (2011), DOI: 10.1007/s10156-010-0085-1

Jin, F. J., et al. A trial of minimization of chromosome 7 in Aspergillus oryzae by multiple chromosomal deletions. Mol Genet Genomics 283(1), 1-12, (2010), DOI: 10.1007/s00438-009-0494-y

Shueh, C. S., et al. Simple, time saving pulsed-field gel electrophoresis protocol for the typing of Stenotrophomonas maltophilia. J Microbiol Methods 94(2), 141-143, (2013), DOI: S0167-7012(13)00176-0 [pii] 10.1016/j.mimet.2013.06.001

RNA Gels

Alon, S., et al. Barcoding bias in high-throughput multiplex sequencing of miRNA. Genome Res 21(9), 1506-1511, (2011), DOI: gr.121715.111 [pii] 10.1101/gr.121715.111

Aronica, L., et al. Study of an RNA helicase implicates small RNA-noncoding RNA interactions in programmed DNA elimination in Tetrahymena. Genes Dev 22(16), 2228-2241, (2008), DOI: 22/16/2228 [pii] 10.1101/gad.481908

Chang, M. M., et al. RT-qPCR demonstrates light-dependent AtRBCS1A and AtRBCS3B mRNA expressions in Arabidopsis thaliana leaves. Biochem Mol Biol Educ 44(4), 405-411, (2016), DOI: 10.1002/bmb.20959

Conde, J., et al. RNA quantification using gold nanoprobes - application to cancer diagnostics. J Nanobiotechnology 8, 5, (2010), DOI: 1477-3155-8-5 [pii] 10.1186/1477-3155-8-5

Derks, N. M., et al. Housekeeping genes revisited: different expressions depending on gender, brain area and stressor. Neuroscience 156(2), 305-309, (2008), DOI: S0306-4522(08)01117-2 [pii] 10.1016/j.neuroscience.2008.07.047 (RNA agarose gel electrophoresis)

Francia, S., et al. Site-specific DICER and DROSHA RNA products control the DNA-damage response. Nature 488(7410), 231-235, (2012), DOI: nature11179 [pii] 10.1038/nature11179

Hisaoka, M., et al. Regulation of nucleolar chromatin by B23/nucleophosmin jointly depends upon its RNA binding activity and transcription factor UBF. Mol Cell Biol 30(20), 4952-4964, (2010), DOI: MCB.00299-10 [pii] 10.1128/MCB.00299-10

Kurth, H. M. and Mochizuki, K. 2'-O-methylation stabilizes Piwi-associated small RNAs and ensures DNA elimination in Tetrahymena. RNA 15(4), 675-685, (2009), DOI: rna.1455509 [pii] 10.1261/rna.1455509

Muller, M., et al. A cytoplasmic complex mediates specific mRNA recognition and localization in yeast. PLoS Biol 9(4), e1000611, (2011), DOI: 10.1371/journal.pbio.1000611

Nobile, P. M., et al. Transcriptional profile of genes involved in the biosynthesis of phytate and ferritin in Coffea. J Agric Food Chem 58(6), 3479-3487, (2010), DOI: 10.1021/jf9043088

Noto, T., et al. The Tetrahymena argonaute-binding protein Giw1p directs a mature argonaute-siRNA complex to the nucleus. Cell 140(5), 692-703, (2010), DOI: S0092-8674(10)00125-X [pii] 10.1016/j.cell.2010.02.010

Cell Viability

Bargmann, M., et al. PLA-Based Biodegradable and Cytocompatible Implant Materials: Material Development, Processing and Properties. Journal of Materials Science and Engineering B 3(10), 619-632, (2013), DOI: 10.17265/2161-6221/2013.10.001

Bergwerf, I., et al. Reporter gene-expressing bone marrow-derived stromal cells are immune-tolerated following implantation in the central nervous system of syngeneic immunocompetent mice. BMC Biotechnol 9, 1, (2009), DOI: 1472-6750-9-1 [pii] 10.1186/1472-6750-9-1

Li, L., et al. Single-Cell-Arrayed Agarose Chip for in Situ Analysis of Cytotoxicity and Genotoxicity of DNA Cross-Linking Agents. Anal Chem 88(13), 6734-6742, (2016), DOI: 10.1021/acs.analchem.6b01008

Reichelt, S., et al. Studies on the formation and characterization of macroporous electron-beam generated hyaluronan cryogels. Radiation Physics and Chemistry, (2014), DOI: http://dx.doi.org/10.1016/j.radphyschem.2014.05.021

Rode, C., et al. Antibacterial Zinc Oxide Nanoparticle Coating of Polyester Fabrics. Journal of Textile Science and Technology 1, 65-74, (2015), DOI: http://dx.doi.org/10.4236/jtst.2015.12007

Szarc Vel Szic, K., et al. Pharmacological Levels of Withaferin A (Withania somnifera) Trigger Clinically Relevant Anticancer Effects Specific to Triple Negative Breast Cancer Cells. PLoS One 9(2), e87850, (2014), DOI: 10.1371/journal.pone.0087850 PONE-D-13-29950

Other Applications

Almasi, M. A., et al. Comparison and evaluation of two diagnostic methods for detection of npt II and GUS genes in Nicotiana tabacum. Appl Biochem Biotechnol 175(8), 3599-3616, (2015), DOI: 10.1007/s12010-015-1529-y (direct LAMP assay)

Besic Gyenge, E. Effects of hypericin and a chlorin based photosensitizer alone or in combination in squamous cell carcinoma cells in the dark. Photodiagnosis and Photodynamic Therapy http://dx.doi.org/10.1016/j.pdpdt.2012.03.006, (2012), (Comet assay)

Chen, Z. F., et al. Synthesis, crystal structure, cytotoxicity and DNA interaction of 5,7-dichloro-8-quinolinolato-lanthanides. Eur J Med Chem 59, 194-202, (2013), DOI: S0223-5234(12)00641-1 [pii] 10.1016/j.ejmech.2012.10.037 (competitive binding and fluorescence polarization)

Chiaraviglio, L. and Kirby, J. E. Evaluation of impermeant, DNA-binding dye fluorescence as a real-time readout of eukaryotic cell toxicity in a high throughput screening format. Assay Drug Dev Technol 12(4), 219-228, (2014), DOI: 10.1089/adt.2014.577 (high-throughput screening)

Garcia, J. F. M., et al. Characterization of Actinobacillus seminis biofilm formation. Antonie Van Leeuwenhoek 113(9), 1371-1383, (2020), DOI: 10.1007/s10482-020-01447-w (DNA detection in biofilms)

Haines, A. M., et al. Finding DNA: Using fluorescent in situ detection. Forensic Science International: Genetics Supplement Series 5, e501-e502, (2015), DOI: 10.1016/j.fsigss.2015.09.198

Haines, A. M., et al. Effect of nucleic acid binding dyes on DNA extraction, amplification, and STR typing. Electrophoresis 36(20), 2561-2568, (2015), DOI: 10.1002/elps.201500170 (effects of dyes on DNA extraction)

Jeong, J., et al. Enzymatic Polymerization on DNA Modified Gold Nanowire for Label-Free Detection of Pathogen DNA. Int J Mol Sci 16(6), 13653-13660, (2015), DOI: 10.3390/ijms160613653 (DNA hydrogel)

Khoshnevis, S., et al. Crystal structure of the RNA recognition motif of yeast translation initiation factor eIF3b reveals differences to human eIF3b. PLoS One 5(9), (2010), DOI: 10.1371/journal.pone.0012784 (RNA binding assay)

Kozak, J., et al. Rapid repair of DNA double strand breaks in Arabidopsis thaliana is dependent on proteins involved in chromosome structure maintenance. DNA Repair (Amst) 8(3), 413-419, (2008), DOI: S1568-7864(08)00397-2 [pii] 10.1016/j.dnarep.2008.11.012 (Comet assay)

Miyako, E., et al. Self-assembled carbon nanotube honeycomb networks using a butterfly wing template as a multifunctional nanobiohybrid. ACS Nano 7(10), 8736-8742, (2013), DOI: 10.1021/nn403083v (DNA absorption test)

Newcomb, W. W. and Brown, J. C. Time-dependent transformation of the herpesvirus tegument. J Virol 83(16), 8082-8089, (2009), DOI: JVI.00777-09 [pii] 10.1128/JVI.00777-09 (Virus staining on PDVF membrane)

Ragone, S., et al. Structural basis for inhibition of homologous recombination by the RecX protein. EMBO J 27(16), 2259-2269, (2008), DOI: emboj2008145 [pii] 10.1038/emboj.2008.145 (Strand exchange assay, ssDNA)

Rocha, M. S. Extracting physical chemistry from mechanics: a new approach to investigate DNA interactions with drugs and proteins in single molecule experiments. Integr Biol (Camb) 7(9), 967-986, (2015), DOI: 10.1039/c5ib00127g (contour length of DNA-ligand complexes)

Wolfson, J. J., et al. Subtilase cytotoxin activates PERK, IRE1 and ATF6 endoplasmic reticulum stress-signalling pathways. Cell Microbiol 10(9), 1775-1786, (2008), DOI: CMI1164 [pii] 10.1111/j.1462-5822.2008.01164.x (DNA fragmentation analysis in agarose gels)

Wozniakowski, G., et al. Loop-mediated isothermal amplification for the detection of goose circovirus. Virol J 9, 110, (2012), DOI: 1743-422X-9-110 [pii] 10.1186/1743-422X-9-110 (LAMP detection of goose circovirus)

GelGreen® References by Application

Agarose Gels

Bradbury, I. R., et al. Evidence for divergence and adaptive isolation in post-glacially derived bimodal allopatric and sympatric rainbow smelt populations. Biological Journal of the Linnean Society 101(3), 583-594, (2010), DOI: 10.1111/j.1095-8312.2010.01533.x

Gonzalez-Gonzalez, E., et al. Portable and accurate diagnostics for COVID-19: Combined use of the miniPCR thermocycler and a well-plate reader for SARS-CoV-2 virus detection. PLoS One 15(8), e0237418, (2020), DOI: 10.1371/journal.pone.0237418

Gonzalez-Gonzalez, E., et al. Portable and accurate diagnostics for COVID-19: Combined use of the miniPCR thermocycler and a well-plate reader for SARS-CoV-2 virus detection. PLoS One 15(8), e0237418, (2020), DOI: 10.1371/journal.pone.0237418

Haines, A. M., et al. Finding DNA: Using fluorescent in situ detection. Forensic Science International: Genetics Supplement Series 5, e501-e502, (2015), DOI: 10.1016/j.fsigss.2015.09.198

Haines, A. M., et al. Effect of nucleic acid binding dyes on DNA extraction, amplification, and STR typing. Electrophoresis 36(20), 2561-2568, (2015), DOI: 10.1002/elps.201500170

Haines, A. M., et al. Properties of nucleic acid staining dyes used in gel electrophoresis. Electrophoresis 36(6), 941-944, (2015), DOI: 10.1002/elps.201400496

Madala, N. E., et al. Deciphering the structural and biological properties of the lipid A moiety of lipopolysaccharides from Burkholderia cepacia strain ASP B 2D, in Arabidopsis thaliana. Glycobiology 21(2), 184-194, (2011), DOI: cwq146 [pii] 10.1093/glycob/cwq146

Toppings, N. B., et al. A rapid near-patient detection system for SARS-CoV-2 using saliva. Sci Rep 11(1), 13378, (2021), DOI: 10.1038/s41598-021-92677-z

Cloning & Sequencing

Bradbury, I. R., et al. Evidence for divergence and adaptive isolation in post-glacially derived bimodal allopatric and sympatric rainbow smelt populations. Biological Journal of the Linnean Society 101(3), 583-594, (2010), DOI: 10.1111/j.1095-8312.2010.01533.x

Madala, N. E., et al. Deciphering the structural and biological properties of the lipid A moiety of lipopolysaccharides from Burkholderia cepacia strain ASP B 2D, in Arabidopsis thaliana. Glycobiology 21(2), 184-194, (2011), DOI: cwq146 [pii] 10.1093/glycob/cwq146

Denaturing Gradient Gel Electrophoresis (DGGE)

Amorim, C. L., et al. Bioaugmentation for treating transient 4-fluorocinnamic acid shock loads in a rotating biological contactor. Bioresour Technol 144, 554-562, (2013), DOI: S0960-8524(13)01068-7 [pii] 10.1016/j.biortech.2013.07.010

Amorim, C. L., et al. Performance of aerobic granular sludge in a sequencing batch bioreactor exposed to ofloxacin, norfloxacin and ciprofloxacin. Water Res 50, 101-113, (2014), DOI: S0043-1354(13)00849-X [pii] 10.1016/j.watres.2013.10.043

Portney, N. G., et al. Length-based encoding of binary data in DNA. Langmuir 24(5), 1613-1616, (2008), DOI: 10.1021/la703235y

Sutton, N. B., et al. Characterization of geochemical constituents and bacterial populations associated with As mobilization in deep and shallow tube wells in Bangladesh. Water Res 43(6), 1720-1730, (2009), DOI: S0043-1354(09)00029-3 [pii] 10.1016/j.watres.2009.01.006

Polyacrymalide Gel Electrophoresis (PAGE)

Takeshima, H., et al. Mouse Dnmt3a preferentially methylates linker DNA and is inhibited by histone H1. J Mol Biol 383(4), 810-821, (2008), DOI: S0022-2836(08)00279-9 [pii] 10.1016/j.jmb.2008.03.001 (GelGreen staining of oligonucleosomes by PAGE)

Other Applications

Chiaraviglio, L. and Kirby, J. E. Evaluation of impermeant, DNA-binding dye fluorescence as a real-time readout of eukaryotic cell toxicity in a high throughput screening format. Assay Drug Dev Technol 12(4), 219-228, (2014), DOI: 10.1089/adt.2014.577 (high-throughput screening)

Cortes, R., et al. A novel cyclometallated Pt(ii)-ferrocene complex induces nuclear FOXO3a localization and apoptosis and synergizes with cisplatin to inhibit lung cancer cell proliferation. Metallomics, (2014), DOI: 10.1039/c3mt00194f (Comet assay)

Hu, L. Y., et al. Skeletal muscle progenitors are sensitive to collagen architectural features of fibril size and cross linking. Am J Physiol Cell Physiol 321(2), C330-C342, (2021), DOI: 10.1152/ajpcell.00065.2021 (nuclear staining)

Kemleu, S., et al. A Field-Tailored Reverse Transcription Loop-Mediated Isothermal Assay for High Sensitivity Detection of Plasmodium falciparum Infections. PLoS One 11(11), e0165506, (2016), DOI: 10.1371/journal.pone.0165506 (RT-LAMP assay on whole blood lysates)

Lee, J. B., et al. A mechanical metamaterial made from a DNA hydrogel. Nat Nanotechnol 7(12), 816-820, (2012), DOI: nnano.2012.211 [pii] 10.1038/nnano.2012.211 (DNA hydrogel)

Li, C., et al. Responsive Double Network Hydrogels of Interpenetrating DNA and CB[8] Host-Guest Supramolecular Systems. Adv Mater 27(21), 3298-3304, (2015), DOI: 10.1002/adma.201501102 (DNA hydrogel)

Maougal, R. T., et al. Localization of the Bacillus subtilis beta-propeller phytase transcripts in nodulated roots of Phaseolus vulgaris supplied with phytate. Planta, (2014), DOI: 10.1007/s00425-013-2023-9 (in situ DNA detection)

Suzuki, M. Protamine-induced DNA compaction but not aggregation shows effective radioprotection against double-strand breaks. Chemical Physics Letters 480, 113-117, (2009), (imaging DNA molecules)

Toppings, N. B., et al. A rapid near-patient detection system for SARS-CoV-2 using saliva. Sci Rep 11(1), 13378, (2021), DOI: 10.1038/s41598-021-92677-z (RT-LAMP)

Valdes, A., et al. Capillary gel electrophoresis-laser induced fluorescence of double-stranded DNA fragments using GelGreen dye. Electrophoresis, (2013), DOI: 10.1002/elps.201200624 (capillary gel electrophoresis)

Zeng, H., et al. Droplet Enhanced Fluorescence for Ultrasensitive Detection Using Inkjet. Anal Chem 88(12), 6135-6139, (2016), DOI: 10.1021/acs.analchem.6b01566 (gel stain for ssDNA)