CD269 / TNFRSF17 / BCMA Monoclonal Mouse Antibody (BCMA/2366)



Product Description

BNUM

Purified,

BSA-free

The B cell maturation protein (BCMA) is a type I integral membrane protein that belongs to the tumor necrosis factor receptor (TNF-R) superfamily. It is expressed as a 184 amino acid peptide that is expressed only in mature B-lymphocytes and is located on the cis part of the Golgi apparatus. BCMA shares significant homology with TACI (transmembrane activator) within the cysteine-rich domain. TACI has been shown to bind CAML, which induces activation of NFAT (nuclear factor of activated T cells). Both BCMA and TACI have been shown to bind APRIL and TALL-1, which stimulate B cell proliferation in conjunction with other B-cell activators. When overexpressed, TALL-1 stimulates the development of systemic lupus erythaematosus (SLE).

Primary antibodies are available purified, or with a selection of fluorescent CF® dyes and other labels. CF® dyes offer exceptional brightness and photostability. See the CF® Dye Brochure for more information. Note: Conjugates of blue fluorescent dyes like CF®405S and CF®405M are not recommended for detecting low abundance targets, because blue dyes have lower fluorescence and can give higher non-specific background than other dye colors.

Stock status: Because Biotium offers a large number of antibody and conjugation options, primary antibody conjugates may be made to order. Typical lead times are up to one week for CF® dye and biotin conjugates, and up to 2-3 weeks for fluorescent protein and enzyme conjugates. Please email order@biotium.com to inquire about stock status and lead times before placing your order.

Catalog number key for antibody number 2366, Anti-CD269 / TNFRSF17 / BCMA (BCMA/2366)

Call us : 800-304-5357

Cell/tissue expression

N/A

Product attributes				
Antibody number	#2366			
Antibody reactivity (target)	BCMA, CD269, TNFRSF17			
Antibody type	Primary			
Host species	Mouse			
Clonality	Monoclonal			
Clone	BCMA/2366			
Isotype	IgG1, kappa			
Molecular weight	20 kDa			
Synonyms	B-cell maturation protein; BCMA; CD269; TNR17; Tumor necrosis factor receptor superfamily member 17 (TNFRSF17)			
Human gene symbol	CD269			
Entrez gene ID	608			
SwissProt	Q02223			
Unigene	2556			
Immunogen	Recombinant human CD269 protein fragment (around aa 78-184) (exact sequence is proprietary)			
Verified antibody applications	IHC (FFPE) (verified)			
Antibody target cellular localization	Plasma membrane			
Species reactivity	Human			
Antibody application notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody. ELSA: For coating order antibody without BSA, Immunohistology (formalin): 1-2 ug/mL for 30 minutes at RT, Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes, Optimal dilution for a specific application should be determined by user			
Positive control				
	NAMALWA Cells. Tonsil. Gastric Carcinoma			
Shipping condition	NAMALWA Cells. Tonsil. Gastric Carcinoma Room temperature			
Shipping condition Storage Conditions				
	Room temperature Store at 2 to 8 °C, Protect fluorescent conjugates from light,			
Storage Conditions	Room temperature Store at 2 to 8 °C, Protect fluorescent conjugates from light, Note: store BSA-free antibodies at -10 to -35 °C Guaranteed for at least 24 months from date of receipt when			
Storage Conditions Shelf life	Room temperature Store at 2 to 8 °C, Protect fluorescent conjugates from light, Note: store BSA-free antibodies at -10 to -35 °C Guaranteed for at least 24 months from date of receipt when stored as recommended			
Storage Conditions Shelf life Regulatory status Antibody/conjugate	Room temperature Store at 2 to 8 °C, Protect fluorescent conjugates from light, Note: store BSA-free antibodies at -10 to -35 °C Guaranteed for at least 24 months from date of receipt when stored as recommended For research use only (RUO) Conjugates: 0.1 mg/mL in PBS/0.05% BSA, Purified: 0.2 mg/mL in PBS/0.05% BSA, Purified: 0.2 mg/mL in PBS/0.05% BSA/0.05% BSA/0.05% atde, Purified, BSA-free: 1 mg/mL in PBS/0.05% atde, Purified, BSA-free: 1 mg/mL in PBS/0.05			
Storage Conditions Shelf life Regulatory status Antibody/conjugate formulation	Room temperature Store at 2 to 8 °C, Protect fluorescent conjugates from light, Note: store BSA-free antibodies at -10 to -35 °C Guaranteed for at least 24 months from date of receipt when stored as recommended For research use only (RUO) Conjugates: 0.1 mg/mL in PBS/0.05% BSA, Purified: 0.2 mg/mL in PBS/0.05% BSA, Purified: 0.2 mg/mL in PBS without azide			

Antibody # prefix	Conjugation	Ex/Em (nm)	Laser line	Detection channel	Dye Features	
BNC04	CF®405S	404/431	405	DAPI (microscopy), AF405	CF®405S Features	
BNC88	CF®488A	490/515	488	GFP, FITC	CF®488A Features	
BNC68	CF®568	562/583	532, 561	RFP, TRITC	CF®568 Features	
BNC94	CF®594	593/614	561	Texas Red®	CF®594 Features	
BNC40	CF®640R	642/662	633-640	Cy®5	CF®640R Features	
BNC47	CF®647	650/665	633-640	Cy®5	CF®647 Features	
BNC74	CF®740	742/767	633-685	775/50	CF®740 Features	
BNCB	Biotin	N/A	N/A	N/A		
RNLIR	Purified	N/A	N/A	N/Δ		

Alexa Fluor, Pacific Blue, Pacific Orange, and Texas Red are trademarks or registered trademarks of Thermo Fisher Scientific; Cy is a registered trademark of Cytiva; IRDye, LI-COR, and Odyssey are registered trademarks of LI-COR Bioscience.

N/A

This datasheet was generated on December 11, 2025 at 08:17:28 PM. Visit product page to check for updated information before use. Product link: https://biotium.com/product/cd269-tnfrsf17-bcma-monoclonal-mouse-antibody-bcma-2366/

N/A