TACSTD2 / TROP2 Monoclonal Mouse Antibody (TACSTD2/2151)



Product Description

TACSTD2 is a cell surface glycoprotein receptor. It is a single pass type I membrane protein containing one thyroglobulin type-1 domain, an epidermal growth factor-like repeat, a phosphatidylinositol binding site and tyrosine phosphorylation sites near the C-terminus. It plays a role in transducing intracellular calcium signals. It is expressed in trophoblast cells, cornea and multi-stratified epithelia. It is also highly expressed in several types of tumors and is involved in regulating the growth of carcinoma cells.

Primary antibodies are available purified, or with a selection of fluorescent CF® dyes and other labels. CF® dyes offer exceptional brightness and photostability. See the CF® Dye Brochure for more information. Note: Conjugates of blue fluorescent dyes like CF®405S and CF®405M are not recommended for detecting low abundance targets, because blue dyes have lower fluorescence and can give higher non-specific background than other dye colors.

Stock status: Because Biotium offers a large number of antibody and conjugation options, primary antibody conjugates may be made to order. Typical lead times are up to one week for CF® dye and biotin conjugates, and up to 2-3 weeks for fluorescent protein and enzyme conjugates. Please email order@biotium.com to inquire about stock status and lead times before placing your order.

Catalog number key for antibody number 2151, Anti-TACSTD2 / TROP2 (TACSTD2/2151)

Product attributes

Call us: 800-304-5357

Product attributes				
Antibody number	#2151			
Antibody reactivity (target)	TACSTD2, TROP2			
Antibody type	Primary			
Host species	Mouse			
Clonality	Monoclonal			
Clone	TACSTD2/2151			
Isotype	IgG2b, kappa			
Molecular weight	40 kDa			
Synonyms	Cell surface glycoprotein Trop-2; Membrane Component Chromosme 1, Surface Marker 1 (M151); Pancreatic Carcinoma Marker Protein GA733-1; TROP2; Tumor-Associated Calcium Signal Transducer 2 (TACSTD2)			
Synonyms Human gene symbol	Membrane Component Chromosome 1, Surface Marker 1 (M1S1); Pancreatic Carcinoma Marker Protein GA733-1; TROP2; Tumor-Associated Calcium			
	Membrane Component Chromosome 1, Surface Marker 1 (M1S1); Pancreatic Carcinoma Marker Protein GA733-1; TROP2; Tumor-Associated Calcium Signal Transducer 2 (TACSTD2)			
Human gene symbol	Membrane Component Chromosome 1, Surface Marker 1 (M1S1); Pancreatic Carcinoma Marker Protein GA733-1; TROP2; Tumor-Associated Calcium Signal Transducer 2 (TACSTD2)			

Email: btinfo@biotium.com

erified antibody applications	IHC (FFPE) (verified), WB (verified)		
ntibody target cellular ocalization pecies reactivity	Plasma membrane		
	Human		

Antibody application notes Highe

Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody. Immunohistology (formalin): 1-2 ug/mL for 30 minutes at RT, Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes, Western blotting 0.5-1 ug/mL, Optimal dilution for a specific application should be

Recombinant fragment of human TACSTD2 protein (around aa 31-274)

(exact sequence is proprietary)

determined by user

Positive control HT29 cells. Breast or Colon Carcinoma

Shipping condition Room temperature

Storage Conditions Store at 2 to 8 °C, Protect fluorescent conjugates from light, Note: store

BSA-free antibodies at -10 to -35 °C

Shelf life Guaranteed for at least 24 months from date of receipt when stored as recommended

Regulatory status For research use only (RUO)

Antibody/conjugate Conjugates: 0.1 mg/mL in PBS/0.1% BSA/0.05% azide, HRP conjugates: 0.1 mg/mL in PBS/0.05% BSA, Purified: 0.2 mg/mL in PBS/0.05% BSA/0.05% azide,

Purified, BSA-free: 1 mg/mL in PBS without azide

Validated in protein array

Monospecific

Antibody research areas Cancer, Signal transduction

Cell/tissue expression Comea, Epithelial cells, Placenta

Antibody # prefix	Conjugation	Ex/Em (nm)	Laser line	Detection channel	Dye Features
BNC04	CF®405S	404/431	405	DAPI (microscopy), AF405	CF®405S Features
BNC88	CF®488A	490/515	488	GFP, FITC	CF®488A Features
BNC68	CF®568	562/583	532, 561	RFP, TRITC	CF®568 Features
BNC94	CF®594	593/614	561	Texas Red®	CF®594 Features
BNC40	CF®640R	642/662	633-640	Cy®5	CF®640R Features
BNC47	CF®647	650/665	633-640	Cy®5	CF®647 Features
BNCB	Biotin	N/A	N/A	N/A	
BNUB	Purified	N/A	N/A	N/A	
BNUM	Purified,	N/A	N/A	N/A	

Alexa Fluor, Pacific Blue, Pacific Orange, and Texas Red are trademarks or registered trademarks of Thermo Fisher Scientific; Cy is a registered trademark of Cytiva; IRDye, LI-COR, of LI-COR Bioscience.