Interferon Gamma Monoclonal Mouse Antibody (G-30)

Product Description

This antibody recognizes a protein of 20-25 kDa, identified as human interferon gamma (IFN- γ). Multiple forms exist due to variable glycosylation and under non-denaturing conditions due to dimers and tetramers. T lymphocytes and NK cells mainly produce IFN- γ . It is a pleiotropic cytokine involved in the regulation of nearly all phases of immune and inflammatory responses, including the activation, growth and differentiation of T cell, B cells, macrophages, NK cells and other cell types such as endothelial cells and fibroblasts. It has weak anti-viral and anti-proliferative activity, and potentiates the antiviral and anti-tumor effects of IFN- γ (type I interferon).

Primary antibodies are available purified, or with a selection of fluorescent CF® dyes and other labels. CF® dyes offer exceptional brightness and photostability. See the CF® Dye Brochure for more information. Note: Conjugates of blue fluorescent dyes like CF®405S and CF®405M are not recommended for detecting low abundance targets, because blue dyes have lower fluorescence and can give higher non-specific background than other dye colors.

Stock status: Because Biotium offers a large number of antibody and conjugation options, primary antibody conjugates may be made to order. Typical lead times are up to one week for CF® dye and biotin conjugates, and up to 2-3 weeks for fluorescent protein and enzyme conjugates. Please email order@biotium.com to inquire about stock status and lead times before placing your order.

Antibody number	#0347		
Antibody reactivity (target)	Interferon Gamma		
Antibody type	Primary		
Host species	Mouse		
Clonality	Monoclonal		
Clone	G-30		
Isotype	IgG1, kappa		
Molecular weight	20-25 kDa		
Synonyms	AMCF1; Beta thromboglobulin like protein; CXC chemokine ligand 8 (CXCL8); Emoctakin; Granulocyte chemotactic protein 1 (GCP1); IFG; IFI; IFN Immune; IFN-gamma (IFNG); Interleukin 8; Interleron gamma; LECT; LUCT; Lymphocyte derived neutrophil activating factor; LYNAP; Macrophage Activating Factor (MAF); Monocyte derived neutrophil activating protein (MONAP); Monocyte derived neutrophil activating protein (MONAP); Monocyte derived neutrophil activating factor (MAF); Neutrophil activating factor (MAF); Neutrophil activating protein 1 (NAP1); Neutrophil activating protein 1 (NAP1); SCYB8; T cell chemotactic factor; T Cell Interferon; Type II Interferon		
Human gene symbol	IFNG		
Entrez gene ID	3458		
SwissProt	P01579		
Unigene	856		
Immunogen	Purified recombinant human IFN-gamma		
Antibody target cellular	Secreted (extracellular)		
Species reactivity	Human		
Antibody application notes	For coating for ELISA, order Ab without BSA, Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody, Optimal dilution and staining procedure for a specific application should be determined by user. Recommended starting concentrations for titration are 1-2 ug/mll for most applications, or 1 ug/million cells/100 uL for flow cytometry		

Room temperature

For research use only (RUO)

Note: store BSA-free antibodies at -10 to -35°C, Store at 2 to 8 °C, Protect fluorescent conjugates from light

Conjugates: 0.1 mg/mL in PBS/0.1% BSA/0.05% azide, HRP conjugates: 0.1 mg/mL in PBS/0.05% BSA, Purified: 0.2 mg/mL in PBS/0.05% BSA/0.05% azide,

Purified, BSA-free: 1 mg/mL in PBS without azide

Guaranteed for at least 24 months from date of receipt when stored as recommended NK cells. T-cells

Email: btinfo@biotium.com

Call us: 800-304-5357

Product attributes

Shipping condition

Storage Conditions

Regulatory status

Antibody/conjugate

Cell/tissue expression

formulation

Shelf life

Antibody # prefix	Conjugation	Ex/Em (nm)	Laser line	Detection channel	Dye Features
BNC04	CF®405S	404/431	405	DAPI (microscopy), AF405	CF®405S Features
BNC88	CF®488A	490/515	488	GFP, FITC	CF®488A Features
BNC68	CF®568	562/583	532, 561	RFP, TRITC	CF®568 Features
BNC94	CF®594	593/614	561	Texas Red®	CF®594 Features
BNC40	CF®640R	642/662	633-640	Cy®5	CF®640R Features
BNC47	CF®647	650/665	633-640	Cy®5	CF®647 Features
BNCB	Biotin	N/A	N/A	N/A	
BNUB	Purified	N/A	N/A	N/A	
BNUM	Purified,	N/A	N/A	N/A	

Alexa Fluor, Pacific Blue, Pacific Orange, and Texas Red are trademarks or registered trademarks of Thermo Fisher Scientific; Cy is a registered trademark of Cytiva; IRDye, LI-COR, of LI-COR Bioscience.