

p53 Tumor Suppressor Monoclonal Mouse Antibody (Bp53-12 + DO-7)



Product Description

Recognizes a 53 kDa protein, which is identified as p53 suppressor gene product. It reacts with the mutant as well as the wild form of p53 under denaturing and non-denaturing conditions. Its epitope maps within the N-terminus (aa 20-25) of p53 oncoprotein. p53 is a tumor suppressor gene expressed in a wide variety of tissue types and is involved in regulating cell growth, replication, and apoptosis. It binds to MDM2, SV40 T antigen and human papilloma virus E6 protein. Positive nuclear staining with p53 antibody has been reported to be a negative prognostic factor in breast carcinoma, lung carcinoma, colorectal, and urothelial carcinoma. Anti-p53 positivity has also been used to differentiate uterine serous carcinoma from endometrioid carcinoma as well as to detect intratubular germ cell neoplasia. Mutations involving p53 are found in a wide variety of malignant tumors, including breast, ovarian, bladder, colon, lung, and melanoma

Primary antibodies are available purified, or with a selection of fluorescent CF® dyes and other labels. CF® dyes offer exceptional brightness and photostability. See the CF® Dye Brochure for more information. Note: Conjugates of blue fluorescent dyes like CF®405S and CF®405M are not recommended for detecting low abundance targets, because blue dyes have lower fluorescence and can give higher non-specific background than other dye colors.

Stock status: Because Biotium offers a large number of antibody and conjugation options, primary antibody conjugates may be made to order. Typical lead times are up to one week for CF® dye and biotin conjugates, and up to 2-3 weeks for fluorescent protein and enzyme conjugates. Please email order@biotium.com to inquire about stock status and lead times before placing your order.

Catalog number key for antibody number 0723, Anti-p53 Tumor Suppressor Protein (BP53-12 DO-7)

Product attributes Antibody number #0723

Antibody reactivity (target) p53 Tumor Suppressor Protein Antibody type Primary Host species Mouse Clonality Monoclona BP53-12 + DO-7 Clone lgG's Isotype Molecular weight 53 kDa Synonyms Antigen NY-CO-13, BCC7, Cellular Tumor Antigen p53, LFS1 TP53, Transformation Related Protein 53 (TRP53), Tumo Protein p53, Tumor Suppressor p53 Human gene symbol TP53 Entrez gene ID 7157 P04637 SwissPro Uniaene 654481 Recombinant human wild-type p53 protein (BP53-12) & Immunogen Recombinant human wild type p53 protein expressed in E. col (DO-7) Verified antibody IHC (FFPE) (verified) applications Antibody target cellular Nucleus localization Species reactivity Cow, Human, Monkey Antibody application notes Higher concentration may be required for direct detection using primary antibody conjugates than for indirect secondary antibody, Immunofluorescence: 0.5-1 ug/mL Immunohistology formalin-fixed 0.25-0.5 ug/mL, Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at BT for 20 minutes, Flow Cytometry 0.5-1 ug/million cells/0.1 mL, Western blotting 0.5-1.0 ug/mL, Optimal dilution for a specific application should be determined by use MDA-MB-231 Cells, Breast or Colon carcinoma Positive control Shipping condition Room temperature Store at 2 to 8 $^{\circ}$ C, Protect fluorescent conjugates from light, Note: store BSA-free antibodies at -10 to -35 $^{\circ}$ C Storage Conditions Shelf life Guaranteed for at least 24 months from date of receipt when stored as recommended Regulatory status For research use only (RUO) Antibody/conjugate Conjugates: 0.1 mg/mL in PBS/0.1% BSA/0.05% azide, HRP conjugates: 0.1 mg/mL in PBS/0.05% BSA, Purified: 0.2 mg/mL in PBS/0.05% BSA/0.05% azide, Purified, BSA-free: 1 mg/mL in PBS without azide Antibody research areas Apoptosis, Tumor suppressors Product origin

Product may contain either boyine serum albumin (BSA) from bovine serum (Bos taurus), or recombinant BSA produced in Chinese hamster ovary cells. Inquire for the specific lot.

Antibody # prefix	Conjugation	Ex/Em (nm)	Laser line	Detection channel	Dye Features
BNC04	CF®405S	404/431	405	DAPI (microscopy), AF405	CF®405S Features
BNC88	CF®488A	490/515	488	GFP, FITC	CF®488A Features
BNC68	CF®568	562/583	532, 561	RFP, TRITC	CF®568 Features
BNC94	CF®594	593/614	561	Texas Red®	CF®594 Features
BNC40	CF®640R	642/662	633-640	Cy®5	CF®640R Features
BNC47	CF®647	650/665	633-640	Cy®5	CF®647 Features
BNC74	CF®740	742/767	633-685	775/50	CF®740 Features
BNCB	Biotin	N/A	N/A	N/A	
BNUB	Purified	N/A	N/A	N/A	
BNUM	Purified, BSA-free	N/A	N/A	N/A	

Alexa Fluor, Pacific Blue, Pacific Orange, and Texas Red are trademarks or registered trademarks of Thermo Fisher Scientific; Cy is a registered trademark of Cytiva; IRDye, LI-COR, and Odyssey are registered trademarks of LI-COR Bioscience.

This datasheet was generated on September 17, 2025 at 03:58:11 PM. Visit product page to check for updated information before use. Product link: https://biotium.com/product/monoclonal-anti-p53-bp53-12-do-7

Call us : 800-304-5357 Email: techsupport@biotium.com