## **Human Lambda Light Chain Monoclonal Mouse Antibody (LcN-2)**



## **Product Description**

This MAb is specific to lambda light chain of immunoglobulin and shows no cross-reaction with lambda light chain or any of the five heavy chains. In mammals, the two light chains in an antibody are always identical, with only one type of light chain, kappa or lambda. The ratio of Kappa to Lambda is 70:30. However, with the occurrence of multiple myeloma or other B-cell malignancies this ratio is disturbed. Antibody to the lambda light chain is reportedly useful in the identification of leukemias, plasmacytomas, and certain non-Hodgkin's lymphomas. Demonstration of clonality in lymphoid infiltrates indicates that the infiltrate is malignant. Primary antibodies are available purified, or with a selection of fluorescent CF® dyes and other labels. CF® dyes offer exceptional brightness and photostability. See the CF® Dye Brochure for more information. Note: Conjugates of blue fluorescent dyes like CF®405S and CF®405M are not recommended for detecting low abundance targets, because blue dyes have lower fluorescence and can give higher non-specific background than other dye colors. **Stock status:** Because Biotium offers a large number of antibody and conjugation options, primary antibody conjugates may be made to order. Typical lead times are up to one week for CF® dye and biotin conjugates, and up to 2-3 weeks for fluorescent protein and enzyme conjugates. Please email <a href="mailto:order@biotium.com">order@biotium.com</a> to inquire about stock status and lead times before placing your order.

Call us: 800-304-5357

Antibody number	#0631		
Antibody reactivity	Human Lambda Light Chain		
(target) Antibody type	Primary, Anti-Human Immunoglobulin		
Host species	Mouse		
Clonality	Monoclonal		
Clone	LcN-2		
Isotype	IgG2a, kappa		
Molecular weight	~22.5 kDa		
Synonyms	Bence Jones Protein; BJP; IGLC 1/2/3; Mcg Marker; Paraprotein		
Human gene symbol	IGL		
Entrez gene ID	3535 & 3546		
SwissProt	P01701 & P01842		
Unigene	449585		
Immunogen	Purified human IgG		
Antibody target cellular localization	Plasma membrane, Secreted (extracellular)		
Verified antibody applications	IF (verified), IHC (FFPE) (verified), WB (verified)		
Species reactivity	Human		
Antibody application notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody, Immunolitorescence: 1-2 ug/mL, Immunohistology formalin-fixed 0.25-0.5 ug/mL, Simining of formalin-fixed dissues requires boiling tissue sections in 10 ml citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL, Western bioting 0.5-1 ug/mL, Optimal dilution for a specific application should be determined by user		
Positive control	293T, Raji or hPBL cells. Tonsil or Spleen		
Shipping condition	Room temperature		
Storage Conditions	Store at 2 to 8 °C, Protect fluorescent conjugates from light, Note: store BSA-free antibodies at -10 to -35 °C		
Shelf life	Guaranteed for at least 24 months from date of receipt when stored as recommended		
Regulatory status	For research use only (RUO)		
Antibody/conjugate formulation	Conjugates: 0.1 mg/mL in PBS/0.1% BSA/0.05% azide, HRP conjugates: 0. mg/mL in PBS/0.05% BSA, Purified: 0. mg/mL in PBS/0.05% BSA/0.05% azid Purified, BSA-free: 1 mg/mL in PBS without azide		
Cell/tissue expression	B-cells		
Antibody research areas	Cancer, Immunology, Inflammation		

Email: btinfo@biotium.com

Antibody # prefix BNC04	Conjugation CF®405S	Ex/Em (nm) 404/431	Laser line 405	Detection channel DAPI (microscopy), AF405	Dye Features CF®405S Features
BNC88	CF®488A	490/515	488	GFP, FITC	CF®488A Features
BNC68	CF®568	562/583	532, 561	RFP, TRITC	CF®568 Features
BNC94	CF®594	593/614	561	Texas Red®	CF®594 Features
BNC40	CF®640R	642/662	633-640	Cy®5	CF®640R Features
BNC47	CF®647	650/665	633-640	Cy®5	CF®647 Features
BNCB	Biotin	N/A	N/A	N/A	
BNUB	Purified	N/A	N/A	N/A	
BNUM	Purified,	N/A	N/A	N/A	

Alexa Fluor, Pacific Blue, Pacific Orange, and Texas Red are trademarks or registered trademarks of Thermo Fisher Scientific; Cy is a registered trademark of Cytiva; IRDye, LI-COR, LI-COR Bioscience.