

CD53 Monoclonal Mouse Antibody (63-5A3)

Product Description

Recognizes a protein of 33-55 kDa, identified as CD53 (Workshop V; Code CD53.1). CD53 is expressed on monocytes, and macrophages, granulocytes, dendritic cells, osteoblasts and osteoclasts, NK cells, and on T- and B-cells from every stage of differentiation but is absent from platelets, erythrocytes, and non-haemopoietic cells. CD53 is a member of a family of tetraspan transmembrane proteins, including CD9, CD37, CD63, CD81, and CD82. It associates with integrins, MHC class II molecules, and a tyrosine phosphatase and plays a role in cellular activation as part of a signal transduction complex involving other membrane glycoproteins. Defects of CD53 expression on neutrophils appear to be related with recurrent infectious diseases. Cross-linking CD53 using CD53 antibodies led to cytoplasmic calcium fluxes in B cells, monocytes, and granulocytes and activation of the monocyte oxidative burst.

Primary antibodies are available purified, or with a selection of fluorescent CF® dyes and other labels. CF® dyes offer exceptional brightness and photostability. See the CF® Dye Brochure for more information. Note: Conjugates of blue fluorescent dyes like CF®405S and CF®405M are not recommended for detecting low abundance targets, because blue dyes have lower fluorescence and can give higher non-specific background than other dye colors.

Stock status: Because Biotium offers a large number of antibody and conjugation options, primary antibody conjugates may be made to order. Typical lead times are up to one week for CF® dye and biotin conjugates, and up to 2-3 weeks for fluorescent protein and enzyme conjugates. Please email order@biotium.com to inquire about stock status and lead times before placing your order.

Catalog number key for antibody number 0356, Anti-CD53 (63-5A3)

Call us: 800-304-5357 Email: techsupport@biotium.com

Product attributes

rioduct attributes			
Antibody number	#0356		
Antibody reactivity (target)	CD53		
Antibody type	Primary		
Host species	Mouse		
Clonality	Monoclonal		
Clone	63-5A3		
Isotype	IgG2b, kappa		
Molecular weight	33-55 kDa		
Synonyms	CD53 glycoprotein; CD53 tetraspan antigen; Cell surface glycoprotein CD53; Leukocyte surface antigen CD53; Tetraspanin-25 (Tspan-25); TSPAN25		
Human gene symbol	CD53		
Entrez gene ID	963		
SwissProt	P19397		
Unigene	443057		
Immunogen	Human Sezary cells		
Antibody target cellular localization	Plasma membrane		
Species reactivity	Human		
Expected antibody applications	Flow (surface), Functional studies (published for clone), IP (published for clone)		
Antibody application notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody, immunofluorescence: 0.5-1 ug/mlL, Flow Cytometry 0.5-1 ug/mllion cells/0.1 mL, Optimal dilution for a specific application should be determined by user		
Positive control	Daudi, Raji, IM9, U266, YT, HUT-78, HUT-102, Jurkat, HL-60, THP-1, KG1a, human leukocytes. Human tonsil and lymph node.		
Shipping condition	Room temperature		
Storage Conditions	Store at 2 to 8 °C, Protect fluorescent conjugates from light, Note: store BSA-free antibodies at -10 to -35 °C		
Shelf life	Guaranteed for at least 24 months from date of receipt when stored as recommended		
Regulatory status	For research use only (RUO)		
Antibody/conjugate formulation	Conjugates: 0.1 mg/mL in PBS/0.1% BSA/0.05% azide, HRP conjugates: 0.1 mg/mL in PBS/0.05% BSA, Purified: 0.2 mg/mL in PBS/0.05% BSA/0.05% azide, Purified, BSA-free: 1 mg/mL in PBS without azide		
Antibody research areas	Immunology		
Product origin	Product may contain either bovine serum albumin (BSA) from bovine serum (Bos taurus), or recombinant BSA produced in Chinese hamster ovary cells. Inquire for the specific lot.		
Cell/tissue expression	Hematopoietic cells, Osteoblasts/osteoclasts		

Antibody # prefix	Conjugation	Ex/Em (nm)	Laser line	Detection channel	Dye Features
BNC04	CF®405S	404/431	405	DAPI (microscopy), AF405	CF®405S Features
BNC88	CF®488A	490/515	488	GFP, FITC	CF®488A Features
BNC68	CF®568	562/583	532, 561	RFP, TRITC	CF®568 Features
BNC94	CF®594	593/614	561	Texas Red®	CF®594 Features
BNC40	CF®640R	642/662	633-640	Cy®5	CF®640R Features
BNC47	CF®647	650/665	633-640	Cy®5	CF®647 Features
BNC74	CF®740	742/767	633-685	775/50	CF®740 Features
BNCB	Biotin	N/A	N/A	N/A	
BNUB	Purified	N/A	N/A	N/A	
BNUM	Purified, BSA-free	N/A	N/A	N/A	

Alexa Fluor, Pacific Blue, Pacific Orange, and Texas Red are trademarks or registered trademarks of Thermo Fisher Scientific; Cy is a registered trademark of Cytiva; IRDye, LI-COR, and Odyssey are registered trademarks of LI-COR Bioscience.

References

Note: References for this clone sold by other suppliers may be listed for expected applications.

- Eur J Biochem (2002) 269, 1012-1021. (functional studies)
 J Immunol (1990) 145:4322-4325. (IP)
 Knapp, W. et al., Leucocyte typing IV, p 534 and p 541. Oxford Univ. Press. 1989.
 Schlossman SF et al. eds. Leukocyte Typing V, p556-559, Oxford University Press, Oxford, 1995.
 Kishimoto T et al. eds. Leukocyte Typing VI, Garland Publishing, New York, 1997.

This datasheet was generated on August 24, 2025 at 02:25:22 AM. Visit product page to check for updated information before use. Product link: https://biotium.com/product/monoclonal-anti-cd53-63-5a3/