Blood Group H Type 2 Monoclonal Mouse Antibody (19-OLE)



Product Description

This antibody is applicable for staining ABO blood group O. The histo-blood group ABO involves three carbohydrate antigens: A, B, and H. This antibody recognizes the blood group H type 2 antigens, trisaccharide Fuc-a-1-2Gal1-4GlcNAc-a-1. A, B, and AB individuals express a glycosyltransferase activity that converts the H antigen to the A antigen (by addition of UDP-GalNAc) or to the B antigen (by addition of UDP-Gal), whereas O individuals lack such activity. It is expressed on endothelial cells, epithelial cells and granulocytes. Increased expression of this antigen has been observed on some tumor tissues such as gastric carcinomas, urothelial carcinomas, and colon carcinomas.

This antibody is available purified with BSA/azide at 200 ug/mL, or BSA/azide-free at 1 mg/mL.

Catalog number key for antibody number 0947, Anti-Blood Group H Type-2 (19-OLE)

Product attributes

Call us: 800-304-5357

Fiduuci attiibutes			
Antibody number	#0947		
Antibody reactivity (target)	Blood Group H Type-2		
Antibody type	Primary		
Host species	Mouse		
Clonality	Monoclonal		
Clone	19-OLE		
Isotype	IgM, kappa		
Molecular weight	Multiple		
Synonyms	ABO Type O; Blood Group O; Blood Group H		
Human gene symbol	ABO		
Entrez gene ID	28		
SwissProt	P16442		
Unigene	654423		
Immunogen	Mucinous colonic adenocarcinoma		
Verified antibody applications	IHC (FFPE) (verified)		
Antibody target cellular localization	Plasma membrane		
Species reactivity	Human		
Antibody application notes	Immunohistology (formalin), Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes, Immunofluorescence 0.5-1 ug/mL, Optimal dilution for a specific application should be determined by user		
Positive control	KG1 cells or human colorectal carcinoma.		
Shipping condition	Room temperature		
Storage Conditions	Store at 2 to 8 °C, Note: store BSA-free antibodies at -10 to -35 °C		
Shelf life	Guaranteed for at least 24 months from date of receipt when stored as recommended		
Regulatory status	For research use only (RUO)		
Antibody/conjugate formulation	Conjugates: 0.1 mg/mL in PBS/0.1% BSA/0.05% azide, HRP conjugates: 0.1 mg/mL in PBS/0.05% BSA, Purified: 0.2 mg/mL in PBS/0.05% BSA/0.05% BSA-free: 1 mg/mL in PBS without azide		
Antibody research areas	Cancer, Hematology		
Product origin	Product may contain either bovine serum albumin (BSA) from bovine serum (Bos taurus), or recombinant BSA produced in Chinese hamster ovary cells. Inquire for the specific lot.		

Antibody # prefix	Conjugation	Ex/Em (nm)	Laser line	Detection channel	Dye Features
BNC04	CF®405S	404/431	405	DAPI (microscopy), AF405	CF®405S Features
BNC88	CF®488A	490/515	488	GFP, FITC	CF®488A Features
BNC68	CF®568	562/583	532, 561	RFP, TRITC	CF®568 Features
BNC94	CF®594	593/614	561	Texas Red®	CF®594 Features
BNC40	CF®640R	642/662	633-640	Cy®5	CF®640R Features
BNC47	CF®647	650/665	633-640	Cy®5	CF®647 Features
BNC74	CF®740	742/767	633-685	775/50	CF®740 Features
BNCB	Biotin	N/A	N/A	N/A	
BNUB	Purified	N/A	N/A	N/A	
BNUM	Purified, BSA-free	N/A	N/A	N/A	

Alexa Fluor, Pacific Blue, Pacific Orange, and Texas Red are trademarks or registered trademarks of Thermo Fisher Scientific; Cy is a registered trademark of Cytiva; IRDye, LI-COR, and Odyssey are registered trademarks of LI-COR Bioscience.

This datasheet was generated on December 11, 2025 at 03:24:31 AM. Visit product page to check for updated information before use. Product link: https://biotium.com/product/monoclonal-anti-blood-group-h-type-2-cd173-19-ole/