## p34 / cdk1 Monoclonal Mouse Antibody (CDK1/873)



## **Product Description**

Recognizes a 34 kDa protein, which is identified as cyclin dependent kinase 1 (cdk1) or p34cdc2 protein kinase. cdk1 / p34cdc2 plays a crucial role during cell division and is most active during mitosis. It is predominantly localized in the nucleus. It is a serine/threonine kinase, which is activated by cyclin, presumably by de-phosphorylation of tyrosine residues. Activated cdk1 / p34cdc2 performs specific functions during mitosis, including nuclear envelope breakdown and chromosome condensation. Primary antibodies are available purified, or with a selection of fluorescent CF® dyes and other labels. CF® dyes offer exceptional brightness and photostability. See the <u>CF® Dye Brochure</u> for more information. Note: Conjugates of blue fluorescent dyes like CF®405S and CF®405M are not recommended for detecting low abundance targets, because blue dyes have lower fluorescence and can give higher non-specific background than other dye colors. Stock status: Because Biotium offers a large number of antibody and conjugation options, primary antibody conjugates may be made to order. Typical lead times are up to one week for CF® dye and biotin conjugates, and up to 2-3 weeks for fluorescent protein and enzyme conjugates. Please email order@biotium.com to inquire about stock status and lead times before placing your order. Catalog number key for antibody number 0873, Anti-Cdk1 (CDK1/873)

## **Product attributes** Antibody number

Human gene symbol

Call us: 800-304-5357

Antibody reactivity	Cdk1, p34			
(target) Antibody type	Primary			
Host species	Mouse			
Clonality	Monoclonal CDK1/873			
Clone				
Isotype	IgG2a, kappa			
Molecular weight	34 kDa			
Synonyms	Cdc2; CDC28A; CDK1; CDKN1; CELL CYCLE CONTROLLER CDC2; Cell division control protein 2 homolog; Cell division cycle 2 G1 to S and G2 to M; Cell division protein kinase 1; Cyclin-dependent kinase 1; p34 Protein Kinase; P34CDC2			

#0873

Email: btinfo@biotium.com

Entrez gene ID	983
SwissProt	P06493
Unigene	334562
Immunogen	Recombinant human CDK1 protein
Antibody target cellular	Nucleus & cytoplasm
Verified antibody	IHC (FFPE) (verified), WB (verified)

applications Species reactivity Cow, Human, Mink, Monkey Antibody application

Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody, Immunofluorescence: 1-2 ug/mL, Does not react with because as Venezue. not react with mouse, rat, Xenopus, Drosophila, S. pombe, or S. cerevisiae; Drosophila, S. pombe, or S. cerevisiae; others not known, Immunohistology formalin-fixed 2-4 ug/mL, Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM clirate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes, Flow Cytometry 0.5-1 ug/million cells/0.1 mL, Optimal dilution for a specific application should be determined by user

Positive control	HeLa Cells or Tonsil	
Shipping condition	Room temperature	

Store at 2 to 8 °C, Protect fluorescent conjugates from light, Note: store BSA-free antibodies at -10 to -35 °C Storage Conditions

Guaranteed for at least 24 months from Shelf life

Regulatory status For research use only (RUO)

Antibody/conjugate formulation

Conjugates: 0.1 mg/mL in PBS/0.1% BSA/0.05% azide, HRP conjugates: 0.1 mg/mL in PBS/0.05% BSA, Purified: 0.2 mg/mL in PBS/0.05% BSA/0.05% azide, Purified, BSA-free: 1 mg/mL in PBS

Antibody research areas Cell cycle. Tumor suppressors

Antibody # prefix	Conjugation	Ex/Em (nm)	Laser line	Detection channel	Dye Features
BNC04	CF®405S	404/431	405	DAPI (microscopy), AF405	CF®405S Features
BNC88	CF®488A	490/515	488	GFP, FITC	CF®488A Features
BNC68	CF®568	562/583	532, 561	RFP, TRITC	CF®568 Features
BNC94	CF®594	593/614	561	Texas Red®	CF®594 Features
BNC40	CF®640R	642/662	633-640	Cy®5	CF®640R Features
BNC47	CF®647	650/665	633-640	Cy®5	CF®647 Features
BNCB	Biotin	N/A	N/A	N/A	
BNUB	Purified	N/A	N/A	N/A	
BNUM	Purified,	N/A	N/A	N/A	

Alexa Fluor, Pacific Blue, Pacific Orange, and Texas Red are trademarks or registered trademarks of Thermo Fisher Scientific; Cy is a registered trademark of Cytiva; IRDye, LI-COR, LI-COR Bioscience.