

btinfo@biotium.com http://www.biotium.com/

SAFETY DATA SHEET

Date: May 4, 2023

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Fast Probe Master Mix with ROX
Catalog Number:	31016
Unit Size:	1 mL
Manufacturer/Supplier:	Biotium, Inc.
	46117 Landing Parkway, Fremont, CA 94538, USA
	Phone: 1-510-265-1027, Fax: 1-510-265-1352
	Web: http://www.biotium.com

Use as laboratory reagent. For research use only. Not for food, drug, household, or cosmetic use.

2. HAZARDS IDENTIFICATION

DMSO: **GHS** classification None Signal word None Health hazards None Physical hazards None Hazard statements None Precautionary statements None GHS hazard pictogram None WHMIS classification Flammable liquids - Category 4 **NFPA** Rating Health hazard: 0 Fire: 2 Reactivity Hazard: 0 Classification according to Regulation (EC) No 1272/2008[CLP] None Labeling according to Regulation (EC) No 1272/2008[CLP] Hazard pictogram None Signal word None None Hazard statements **Precautionary statements** None **Glycerol:** GHS classification None Signal word None Health hazards None Physical hazards None Hazard statements None **Precautionary statements** None GHS hazard pictogram None WHMIS classification None **NFPA Rating** Health hazard: 1 Fire: 1



btinfo@biotium.com http://www.biotium.com/

Reactivity Hazard: 0

Classification according to Regulation (EC) No 1272/2008[CLP] NoneLabeling according to Regulation (EC) No 1272/2008[CLP]Hazard pictogramNoneSignal wordNoneHazard statementsNonePrecautionary statementsNone

3. COMPOSITION/INFORMATION ON INGREDIENTS

Name	CAS No.	EC No.	Weight %	Classification
DMSO	67-68-5	200-664-3	5-10%	Flammable liquids - Category 4 (WHMIS)
Glycerol	56-81-5	200-289-5	10-15%	-

4. FIRST- AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide, dry chemical extinguishers, foam extinguishers or water. **Special protective equipment for firefighters** Wear self-contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Avoid breathing vapors, mist, or gas. Remove all sources of ignition. **Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. **Methods and materials for containment and cleaning up** Contain spillage. Soak up spilled substance with inert absorbent material. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid inhalation of vapor or mist. Avoid direct contact with substance. **Conditions for safe storage** Keep container tightly closed in a dry and well-ventilated place. Store at -20°C.



320mg/m3 (1)(2)

46117 Landing Parkway, Fremont, CA 94538 U.S.A. Tel: 1-510-265-1027; Fax: 1-510-265-1352

btinfo@biotium.com http://www.biotium.com/

Switzerland 50 ppm 160mg/m3

100 ppm

320mg/m3

500 mg/m3 (1)

EXPOSURE CONTROLS/PERSONAL PROTECTION 8.

Components with workplace control parameters

component		with workplace control parameters				
Substance:	Dimethyl	sulfoxide	-			
CAS no.	67-68-5					
Country	Austria	Denmark	Finland	Germany (AGS)	Germany (DFG)	Sweden
Limit	50 ppm	50 ppm	50 ppm	50 ppm (1)	50 ppm (1)	50 ppm
value,	160mg/m3	160mg/m3		160 mg/m3 (1)	160 mg/m3 (1)	150 mg/m3
8hours						
Limit value,		100 ppm	-	100 ppm (1)(2)	100 ppm (1)(2)	150 ppm (1)

short term 320mg/m3 320mg/m3 (1)(2) Germany (AGS): (1) Skin (2) 15 minutes average value Germany (DFG): (1) Skin (2) 15 minutes average value

Sweden: (1) 15 minutes average value

Components with workplace control parameters

Substance: Glycerol CAS no. 56-81-5

Country	Australia	Belgium	Canada - Ontario	Canada - Québec	Finland	France	Germany (AGS)
Limit value,8hours	10 (1) mg/m ³	10 mg/m ³	10 mg/m ³	10 mg/m ³	20 mg/m ³	10 mg/m ³	200 (1) mg/m ³
Limit value, short term							400 (1)(2) mg/m ³

Country	Germany (DFG)	Ireland	New Zealand	Poland	Singapore	South Africa Mining
Limit	200 (1) mg/m ³	10 mg/m ³	10 (1) mg/m ³	10 mg/m ³	10 mg/m ³	10 ppm
value,8hours						
Limit value,	400 (1)(2)					
short term	mg/m ³					

Country	South Korea	Spain	Switzerland	USA - OSHA	United Kingdom
Limit	10 mg/m^3	10 mg/m^3	50 mg/m ³ inhalable	15 (1) mg/m ³	10 mg/m ³
value,8hours	io ing/iii	io ing/iii	aerosol	$5(2) \text{ mg/m}^3$	ro mg/m
Limit value,			100 mg/m ³ inhalable	5 (2) mg/m	
short term			aerosol		
Australia	ralia (1) This value is for inhalable dust containing no asbestos and < 1% crystalline silica.				

Germany (AGS) (1) Inhalable fraction (2) 15 minutes average value Germany (DFG)

(1) Inhalable fraction (2) 15 minutes average value

New Zealand (1) The value for inhalable dust containing no asbestos and less than 1% free silica.

USA - OSHA (1) Inhalable fraction (2) Respirable fraction

Personal protective equipment

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Respiratory protection

Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Eye protection

Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). **Hygiene measures**



btinfo@biotium.com http://www.biotium.com/

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Chemical Name	Fast Probe Master Mix with ROX
Appearance	Liquid
Odor	No data available
Odor threshold	No data available
рН	No data available
Melting point/freezing point	No data available
Boiling point	No data available
Flash point	No data available
Evaporate rate	No data available
Flammability	No data available
Explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	No data available
Solubility	No data available
Partition coefficient:n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

10. STABILITY AND REACTIVITY

Chemical stability Stable under recommended storage conditions. Possibility of hazardous reactions No data available Conditions to avoid Heat, flames and sparks. Materials to avoid No data available Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available

11. TOXICOLOGICAL INFORMATION

```
DMSO:
```

 Acute toxicity
 Oral LD50
 Rat - male and female - 28,300 mg/kg (OECD Test Guideline 401)

 Inhalation LC50
 Rat - male and female - 4 h - > 5.33 mg/l (OECD Test Guideline 403)

 Dermal LD50
 Rat - male and female - 40,000 mg/kg Remarks: (ECHA)

 Other information on acute toxicity
 No data available

 Skin corrosion/irritation
 Skin - Rabbit

 Result: slight irritation - 4 h
 (OECD Test Guideline 404)

 Serious eye damage/eye irritation
 Eyes - Rabbit

 Result: slight irritation - 24 h

Biotium

46117 Landing Parkway, Fremont, CA 94538 U.S.A. Tel: 1-510-265-1027; Fax: 1-510-265-1352

(OECD Test Guideline 405)

btinfo@biotium.com http://www.biotium.com/

Respiratory or skin sensitization Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406) Local lymph node assay (LLNA) - Mouse **Result:** negative (OECD Test Guideline 429) Germ cell mutagenicity Ames test Salmonella typhimurium **Result:** negative sister chromatid exchange assay Chinese hamster ovary cells Result: negative Mutagenicity (mammal cell test): chromosome aberration. Chinese hamster ovary cells Result: negative **OECD Test Guideline 474** Rat - male and female **Result:** negative Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. **Reproductive toxicity** No data available Specific target organ toxicity - single exposure (Globally Harmonized System) No data available Specific target organ toxicity - repeated exposure (Globally Harmonized System) No data available Aspiration hazard No data available Potential health effects Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Ingestion May be harmful if swallowed. Skin May be harmful if absorbed through skin. May cause skin irritation. Eyes May cause eye irritation. **Additional Information** Repeated dose toxicity - Rat - male and female - Oral - 18 Months - NOAEL (No observed adverse effect level) - 3,300 mg/kg - LOAEL (Lowest observed adverse effect level) - 9,900 ma/ka Repeated dose toxicity - Monkey - male and female - Dermal - 18 Months - NOAEL (No observed adverse effect level) - >= 8,910 mg/kg - LOAEL (Lowest observed adverse effect level) - 990 mg/kg RTECS: PV6210000 Exposure to large amounts can cause:, redness of skin, Itching, burning, sedation, Headache, Nausea, Dizziness To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Eyes - Eye disease - Based on Human Evidence Eyes - Eye disease - Based on Human Evidence



btinfo@biotium.com http://www.biotium.com/

RTECS: PV6210000 (DMSO)

Glycerol: Acute toxicity

Oral LD50 Rat - 27,200 mg/kg Remarks: (ECHA) Inhalation LC50 No data available Dermal LD50 Rabbit - > 10,000 mg/kg Other information on acute toxicity No data available Skin corrosion/irritation No data available Serious eye damage/eye irritation No data available Respiratory or skin sensitization No data available Germ cell mutagenicity No data available Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Reproductive toxicity No data available Specific target organ toxicity - single exposure (Globally Harmonized System) No data available Specific target organ toxicity - repeated exposure (Globally Harmonized System) No data available Aspiration hazard No data available Potential health effects Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Ingestion May be harmful if swallowed. Skin May be harmful if absorbed through skin. May cause skin irritation. Eves May cause eve irritation. Additional Information RTECS: MA8050000

12. ECOLOGICAL INFORMATION

DMSO

Toxicity Toxicity to fish: static test LC50 - Danio rerio (zebra fish) - > 25,000 mg/l - 96 h (OECD Test Guideline 203) Toxicity to daphnia and other aquatic invertebrates: static test EC50 - Daphnia magna (Water flea) - 24,600 mg/l - 48 h (OECD Test Guideline 202) Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green algae) -17,000 mg/l - 72 h (OECD Test Guideline 201) Toxicity to bacteria EC50 - activated sludge - 10 - 100 mg/l - 30 min (ISO 8192) Persistence and degradability No information available aerobic - Exposure time 28 d **Bioaccumulative potential** Result: 31 % - Not readily biodegradable. (OECD Test Guideline 301D)

No information available

Mobility in soil



btinfo@biotium.com http://www.biotium.com/

Results of PBT and vPvB assessment No information available Other adverse effects No information available Additional information Stability in water - 0.12 - 1.2 h at 30 °C pH 7 Remarks: Hydrolyzes readily. Glycerol Toxicity Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - 54,000 ma/l - 96 h Remarks: (ECHA) Remarks: No data available(glycerine) Toxicity to daphnia and other aquatic invertebrates Toxicity to algae Remarks: No data available(glycerine) Persistence and degradability aerobic - Exposure time 2 d Result: 90 % - Readily biodegradable. Remarks: (ECHA) No information available **Bioaccumulative potential** Mobility in soil No information available Results of PBT and vPvB assessment No information available Other adverse effects No information available Additional information No information available

13. DISPOSAL CONSIDERATIONS

Do not dispose product directly into sewage. Consult local, state, or national regulation for proper disposal.

14. TRANSPORT INFORMATION

DMSO and Glycerol: IATA, IMDG, DOT (US), TDG Not dangerous goods during transportation UN number None UN proper shipping name None Transport hazard class None Packing group None Environmental hazards None Transport in bulk according to Annex II of MARPOL 73/78 and IBC Code None Special precaution for user None

15. REGULATION INFORMATION

DMSO:

US Federal Regulations US Toxic Substances Control Act (TSCA): Not listed SARA 302: No chemicals were found. SARA 313: No chemicals were found. SARA 311/312: DMSO : fire hazard, chronic health hazard

WHMIS Hazard Class Flammable liquids - Category 4

Glycerol: US Federal Regulations US Toxic Substances Control Act (TSCA): Not listed SARA 302: No chemicals were found. SARA 313: No chemicals were found.



btinfo@biotium.com http://www.biotium.com/

SARA 311/312 Hazards: No chemicals were found.

WHMIS Hazard Class None

16. OTHER INFORMATION

Classification according to Regulation (EC) Nr. 1272/2008 Refer to section 2 and section 3

 Prepared by:
 Regulatory Department Biotium Inc.

 Version no.
 1

 Revision date (Initials)
 This document was created to reflect the DMSO content in this product and updated to new document template.

The information provided above is believed to be correct to our best knowledge, but does not purport to be all inclusive, and shall be used only as a guide. This material is sold for research purposes only and is not required to appear on the TSCA inventory. It is not intended for food, drug, household, agricultural or cosmetic use. Its use must be supervised by a technically qualified individual experienced in handling potentially hazardous chemicals. Biotium shall not be held liable for any damage resulting from handling or contact with the above product.