

SAFETY DATA SHEET

Date: October 28, 2022

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	Cat. No.	Unit Size
NucSpot® 470, 1000X in DMSO	40083-T	20 uL
	40083	200 uL
NucSpot® 555/565, 1000X in DMSO	41033-T	20 uL
	41033	100 uL
NucSpot® 568/580, 1000X in DMSO	41036-T	20 uL
	41036	100 uL
NucSpot® 594/615, 1000X in DMSO	41037-T	20 uL
	41037	100 uL
NucSpot® 650/665, 1000X in DMSO	41034-T	20 uL
	41034	100 uL
NucSpot® 680/700, 1000X in DMSO	41035-T	20 uL
	41035	100 uL
NucSpot® 750/780, 1000X in DMSO	41038-T	20 uL
	41038	100 uL

Manufacturer/Supplier: Biotium, Inc.
46117 Landing Parkway, Fremont, CA 94538, USA
Phone: 1-510-265-1027, Fax: 1-510-265-1352
Web: <http://www.biotium.com>

Use as laboratory reagent. For research use only. Not for food, drug, household, or cosmetic use.

2. HAZARDS IDENTIFICATION

GHS classification

Signal word None
Health hazards None
Physical hazards None
Hazard statements None
Precautionary statements None
GHS hazard pictogram None

WHMIS classification Flammable liquids - Category 4

NFPA Rating

Health hazard: 2
Fire: 2
Reactivity Hazard: 0

Classification according to Regulation (EC) No 1272/2008[CLP] None

Labeling according to Regulation (EC) No 1272/2008[CLP]

Hazard pictogram None
Signal word None
Hazard statements None
Precautionary statements None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Name	CAS No.	EC No.	Weight %	Classification
DMSO	67-68-5	200-664-3	>99%	WHMIS: Flam liq – Cat 4

4. FIRST-AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide, dry chemical extinguishers, foam extinguishers or water.

Special protective equipment for firefighters

Burning produces poisonous gases, sulfur oxides. Wear self-contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Avoid breathing vapors, mist, or gas. Remove all sources of ignition.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage. Soak up spilled substance with inert absorbent material. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid inhalation of vapor or mist.

Avoid direct contact with substance.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Store at 4°C.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Substance: Dimethylsulfoxide

CAS no. 67-68-5

Country	Austria	Denmark	Finland	Germany (AGS)	Germany (DFG)
Limit value, 8hours	160mg/m ³	160mg/m ³	50 ppm	160mg/m ³ (1)	160mg/m ³ (1)
Limit value, short term	-	320mg/m ³	-	320mg/m ³ (1)(2)	320mg/m ³ (1)(2)

Country	Sweden	Switzerland
Limit value, 8hours	150mg/m ³	160mg/m ³

Limit value, short term	500mg/m3 (1)	320mg/m3
----------------------------	--------------	----------

Germany (AGS) (1) Skin (2) 15 minutes average value

Germany (DFG) (1) Skin (2) 15 minutes average value

Sweden (1) 15 minutes average value

Personal protective equipment

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Respiratory protection

Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Eye protection

Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Chemical Name	NucSpot® Nuclear Stains
Appearance	Liquid
Odor	No data available
Odor threshold	No data available
pH	No data available
Melting point/freezing point	No data available
Boiling point	No data available
Flash point	No data available
Evaporate rate	No data available
Flammability	No data available
Explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	No data available
Solubility	Soluble in water
Partition coefficient:n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

No data available

Conditions to avoid

Heat, flames and sparks.

Materials to avoid

No data available

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity (DMSO)

- Oral LD50** Rat - male and female - 28,300 mg/kg
(OECD Test Guideline 401)
- Inhalation LC50** LC0 Inhalation - Rat - male and female - 4 h - > 5.33 mg/l - dust/mist
(OECD Test Guideline 403)
- Dermal LD50** Rat - male and female - 40,000 mg/kg
Remarks: (ECHA)
- Other information on acute toxicity** no data available

Skin corrosion/irritation

Skin - Rabbit
Result: slight irritation - 4 h
(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit
Result: slight irritation - 24 h
(OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig
Result: negative
(OECD Test Guideline 406)
Local lymph node assay (LLNA) - Mouse
Result: negative
(OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
Test Type: sister chromatid exchange assay
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 479
Result: negative
Test Type: Mutagenicity (mammal cell test): chromosome aberration.
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Rat

Application Route: Intraperitoneal
Method: OECD Test Guideline 474
Result: negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

May cause respiratory irritation

Potential health effects

Inhalation May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.

Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 18 Months - NOAEL (No observed adverse effect level) - 3,300 mg/kg - LOAEL (Lowest observed adverse effect level) - 9,900 mg/kg

Repeated dose toxicity - Monkey - male and female - Dermal - 18 Months - NOAEL (No observed adverse effect level) - \geq 8,910 mg/kg - LOAEL (Lowest observed adverse effect level) - 990 mg/kg

RTECS: PV6210000 (DMSO)

Exposure to large amounts can cause: redness of skin, Itching, burning, sedation, Headache, Nausea, Dizziness

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Eyes - Eye disease - Based on Human Evidence

12. ECOLOGICAL INFORMATION**Toxicity (DMSO)**Toxicity to fish static test LC50 - Danio rerio (zebra fish) - $>$ 25,000 mg/l - 96 h
(OECD Test Guideline 203)

Toxicity to daphnia static and other aquatic

invertebrates static test EC50 - Daphnia magna (Water flea) - 24,600 mg/l - 48 h
(OECD Test Guideline 202)Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green algae) -
17,000 mg/l - 72 h
(OECD Test Guideline 201)Toxicity to bacteria EC50 - activated sludge - 10 - 100 mg/l - 30 min
(ISO 8192)**Persistence and degradability**Biodegradability aerobic - Exposure time 28 d
Result: 31 % - Not readily biodegradable.
(OECD Test Guideline 301D)**Bioaccumulative potential
Mobility in soil**Dimethyl sulfoxide: biodegradation: 90% (28d).
no information available

Results of PBT and vPvB assessment no information available
Other adverse effects no information available
Additional information no information available

13. DISPOSAL CONSIDERATIONS

Do not dispose product directly into sewage. Consult local, state, or national regulation for proper disposal.

14. TRANSPORT INFORMATION

IATA, IMDG, DOT (US), TDG Not dangerous goods during transportation
UN number None
UN proper shipping name None
Transport hazard class None
Packing group None
Environmental hazards None
Transport in bulk according to Annex II of MARPOL 73/78 and IBC Code None
Special precaution for user None

15. REGULATION INFORMATION

US Federal Regulations

Us Toxic Substances Control Act (TSCA): DMSO
SARA 302: No chemicals were found .
SARA 313: No chemicals were found.
SARA 311/312 Hazards: DMSO : fire hazard, chronic health hazard
Acute Health Hazard: Yes
Chronic Health Hazard: No
Fire Hazard: Yes
Sudden Release of Pressure Hazard: No
Reactive Hazard: No

WHMIS classification Flammable liquids - Category 4

16. OTHER INFORMATION

Classification according to Regulation (EC) Nr. 1272/2008
Refer to section 2 and section 3

Prepared by: Regulatory Department
Biotium Inc.

Version no. 2

Revision date (Initials) 10/28/22 (ET)

Reason for revision Added catalog numbers, 41033 41033-T, 41034, 41034-T, 41035, 41035-T, 41036, 41036-T, 41037, 41037-T, 41038, 41038-T. Updated to current document template.

The information provided above is believed to be correct to our best knowledge, but does not purport to be all inclusive, and shall be used only as a guide. This material is sold for research purposes only and is not required to appear on the TSCA inventory. It is not intended for food, drug, household, agricultural or cosmetic use. Its use must be supervised by a technically qualified individual experienced in handling potentially hazardous chemicals. Biotium shall not be held liable for any damage resulting from handling or contact with the above product.