Supplier of fluorescent and related biochemical reagents for life science research and drug discovery Glowing Products for Science<sup>TM</sup>

46117 Landing Parkway, Fremont, CA 94538, U.S.A. Tel: 1-510-265-1027; Fax: 1-510-265-1352 btinfo@biotium.com http://www.biotium.com/

# SAFETY DATA SHEET

Date Revised: May 13, 2014

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name:D-LuciferinCatalog Number:99907 / 30028A2Unit Size:1 mg / 25mgManufacturer/Supplier:Biotium, Inc.46117 Landing Parkway, Fremont, CA 94538, USAPhone: 1-510-265-1027, Fax: 1-510-265-1352Web: <a href="http://www.biotium.com">http://www.biotium.com</a>

# 2. HAZARDS IDENTIFICATION

Classification according to Regulation (EC) No 1272/2008[CLP] None Classification according to Directive 1999/45/EC None

Labeling according to Regulation (EC) No 1272/2008[CLP] Hazard pictogram None Signal word None Hazard statements None Precautionary statements None

### **HMIS Classification**

Health hazard: 0 Flammability: 0 Physical hazards: 0 **NFPA Rating** Health hazard: 0 Fire: 0 Reactivity Hazard: 0

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Name	CAS No.	EC No.	Index No.	Weight %	Classification according to 67/548/EEC	Classification according to regulation (EC)No1278/2008
D-Luciferin	2591-17-5	219-981-3	-	80-100%	-	-

# 4. FIRST- AID MEASURES

### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. **If inhaled** 

46117 Landing Parkway, Fremont, CA 94538, U.S.A. Tel: 1-510-265-1027; Fax: 1-510-265-1352 btinfo@biotium.com http://www.biotium.com/

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

## If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 5. FIREFIGHTING MEASURES

# Suitable extinguishing media

Carbon dioxide, dry chemical extinguishers, foam extinguishers or water. **Special protective equipment for firefighters** Wear self contained breathing apparatus for firefighting if necessary.

# 6. ACCIDENTAL RELEASE MEASURES

### **Personal precautions**

Avoid breathing vapors, mist or gas. Remove all sources of ignition. **Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. **Methods and materials for containment and cleaning up** Contain spillage. Soak up spilled substance with inert absorbent material. Keep in suitable, closed containers for disposal.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Avoid inhalation of vapor or mist. Avoid direct contact with substance. **Conditions for safe storage** Keep container tightly closed in a dry and well-ventilated place. Store at -20°C.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parametersSubstanceD-LuciferinCAS no.2591-17-5Control parametersNone

# Personal protective equipment

46117 Landing Parkway, Fremont, CA 94538, U.S.A. Tel: 1-510-265-1027; Fax: 1-510-265-1352 btinfo@biotium.com http://www.biotium.com/

## Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### **Respiratory protection**

Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Eye protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Chemical Name	D-Luciferin
Appearance	Solid
Odor	No information available
Odor threshold	No information available
рН	No information available
Melting point/freezing point	Melting point 201°C
Boiling point	No information available
Flash point	No information available
Evaporate rate	No information available
Flammability	No information available
Explosive limits	No information available
Vapor pressure	No information available
Vapor density	No information available
Relative density	No information available
Solubility	Water soluble
Partition coefficient:n-octanol/water	No information available
Auto-ignition temperature	No information available
Decomposition temperature	No information available
Viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available

### 10. STABILITY AND REACTIVITY

### **Chemical stability**

Stable under recommended storage conditions. Possibility of hazardous reactions No data available Conditions to avoid Heat, flames and sparks. Materials to avoid No data available Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - no data available



46117 Landing Parkway, Fremont, CA 94538, U.S.A. Tel: 1-510-265-1027; Fax: 1-510-265-1352 btinfo@biotium.com http://www.biotium.com/

11. TOXICOLOGICAL INFORMATION

Acute toxicity						
Oral LD50	None					
Inhalation LC5	0	None				
Dermal LD50	None					
Other informat		-	no data a	available		
Skin corrosion/irritatio						
Serious eye damage/ey						
Respiratory or skin ser						
Germ cell mutagenicity	,	no data avail	able			
Carcinogenicity						
IARC: No component of	this produc	ct present at le	vels greater th	nan or equal	to 0.1% is id	dentified as
probable, possible or con	nfirmed hu	man carcinoge	n by IARC.			
ACGIH: No component of	of this prod	uct present at	levels greater	than or equ	al to 0.1% is	identified as a
carcinogen or potential of	arcinogen	by ACGIH.				
NTP: No component of t	-	t present at lev	els greater th	an or equal t	to 0.1% is id	entified as a known
or anticipated carcinoger	ו by NTP.					
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a						
carcinogen or potential c	•	•				
Reproductive toxicity		available				
Specific target organ to	oxicity - si	ngle exposur	e (Globally H	armonized	System)	
no data available						
Specific target organ to	xicity - re	peated expos	ure (Globally	y Harmonize	ed System)	
no data available						
Aspiration hazard						
no data available						
Potential health effects						
Inhalation May be harmful if inhaled. May cause respiratory tract irritation.						
Ingestion May be harmful if swallowed.						
Skin May be harmful if absorbed through skin. May cause skin irritation.						
Eyes May cause eye irrit	ation.					
Additional Information						
RTECS: None						

### 12. ECOLOGICAL INFORMATION

Toxicityno information availablePersistence and degradabilityno information availableBiodegradationno information availableMobility in soilno information availableResults of PBT and vPvB assessmentno information availableOther adverse effectsno information availableAdditional informationno information available

46117 Landing Parkway, Fremont, CA 94538, U.S.A. Tel: 1-510-265-1027; Fax: 1-510-265-1352 btinfo@biotium.com http://www.biotium.com/

13. DISPOSAL CONSIDERATIONS

Do not dispose product directly into sewage. Consult local state or national regulation for proper disposal.

### 14. TRANSPORT INFORMATION

IATA, IMDG, DOT (US) not dangerous during transportation

UN number none UN proper shipping name none Transport hazard class none Packing group none Environmental hazards none Special precaution for user none

### 15. REGULATION INFORTMATION

### **US Federal Regulations**

Us Toxic Substances Control Act (TSCA): Not listed SARA 302: No chemicals were found. SARA 313: No chemicals were found. SARA 311/312 Hazards: No chemicals were found.

### 16. OTHER INFORMATION

Classification according to Regulation (EC) Nr. 1272/2008

 
 Prepared by:
 Regulatory Department Biotium Inc.

 Version no.
 2

 Reason for revision
 Application of CLP labeling and corresponding requirements

The information provided above is believed to be correct to our best knowledge, but does not purport to be all inclusive, and shall be used only as a guide. This material is sold for research purposes only and is not required to appear on the TSCA inventory. It is not intended for food, drug, household, agricultural or cosmetic use. Its use must be supervised by a technically qualified individual experienced in handling potentially hazardous chemicals. Biotium shall not be held liable for any damage resulting from handling or contact with the above product.

Supplier of fluorescent and related biochemical reagents for life science research and drug discovery Glowing Products for Science<sup>TM</sup>

46117 Landing Parkway, Fremont, CA 94538, U.S.A. Tel: 1-510-265-1027; Fax: 1-510-265-1352 btinfo@biotium.com http://www.biotium.com/

# SAFETY DATA SHEET

Date Revised: March 23, 2016

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name:Steady-Luc /Catalog Number:30028B-T / 3Unit Size:4 mL / 12 mLManufacturer/Supplier:Biotium, Inc.46117 LandiiPhone:1-510

Steady-Luc Assay Buffer 30028B-T / 30028B / 30028B2 4 mL / 12 mL / 100 mL Biotium, Inc. 46117 Landing Parkway, Fremont, CA 94538, USA Phone: 1-510-265-1027, Fax: 1-510-265-1352 Web: http://www.biotium.com

# 2. HAZARDS IDENTIFICATION

Classification according to Regulation (EC) No 1272/2008[CLP]  $(\mbox{DTT})$  None

Labeling according to Regulation (EC) No 1272/2008[CLP] Hazard pictogram None Signal word None

Hazard statements None

Precautionary statements None

HMIS Classification (Triton X-100) Health hazard: 2 Flammability: 1 Physical hazards: 0 NFPA Rating (Triton X-100) Health hazard: 2 Fire: 1 Reactivity Hazard: 0

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Name	CAS No.	EC No.	Index No.	Weight %	Classification according to regulation (EC)No1278/2008
DTT	3483-12-3	222-468-7	-	0-20%	
Triton X- 100	9002-93-1			5-10%	

46117 Landing Parkway, Fremont, CA 94538, U.S.A. Tel: 1-510-265-1027; Fax: 1-510-265-1352 btinfo@biotium.com http://www.biotium.com/

# 4. FIRST- AID MEASURES

### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Flush eyes with water as a precaution.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 5. FIREFIGHTING MEASURES

### Suitable extinguishing media

Carbon dioxide, dry chemical extinguishers, foam extinguishers or water. **Special protective equipment for firefighters** Wear self contained breathing apparatus for firefighting if necessary.

# 6. ACCIDENTAL RELEASE MEASURES

### **Personal precautions**

Avoid breathing vapors, mist or gas. Remove all sources of ignition. **Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. **Methods and materials for containment and cleaning up** Contain spillage. Soak up spilled substance with inert absorbent material. Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Avoid inhalation of vapor or mist. Avoid direct contact with substance. **Conditions for safe storage** Keep container tightly closed in a dry and well-ventilated place. Store at -70°C.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parametersSubstanceSteady-Luc Assay BufferCAS no.None

46117 Landing Parkway, Fremont, CA 94538, U.S.A. Tel: 1-510-265-1027; Fax: 1-510-265-1352 btinfo@biotium.com http://www.biotium.com/

Control parameters None

## Personal protective equipment

#### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### **Respiratory protection**

Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Eye protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Chemical Name	Steady-Luc Assay Buffer
Appearance	Clear liquid
Odor	No information available
Odor threshold	No information available
рН	No information available
Melting point/freezing point	No information available
Boiling point	No information available
Flash point	No information available
Evaporate rate	No information available
Flammability	No information available
Explosive limits	No information available
Vapor pressure	No information available
Vapor density	No information available
Relative density	No information available
Solubility	Water soluble
Partition coefficient:n-octanol/water	No information available
Auto-ignition temperature	No information available
Decomposition temperature	No information available
Viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available

# 10. STABILITY AND REACTIVITY

Chemical stability Stable under recommended storage conditions. Possibility of hazardous reactions No data available Conditions to avoid Heat, flames and sparks. Materials to avoid No data available Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Carbon oxides



46117 Landing Parkway, Fremont, CA 94538, U.S.A. Tel: 1-510-265-1027; Fax: 1-510-265-1352 btinfo@biotium.com http://www.biotium.com/

Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity Oral LD50 Rat - 400 mg/kg (DTT), rat - 1,800 mg/kg (Triton X-100) Inhalation LC50 None Dermal LD50 Rabbit - 8,000 mg/kg (Triton X-100) Other information on acute toxicity no data available Skin corrosion/irritation no data available Serious eye damage/eye irritation Eyes - rabbit Result: Moderate eye irritation - 24 h (Triton X-100) Respiratory or skin sensitization no data available Germ cell mutagenicity no data available Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Reproductive toxicity no data available Specific target organ toxicity - single exposure (Globally Harmonized System) no data available Specific target organ toxicity - repeated exposure (Globally Harmonized System) no data available Aspiration hazard no data available Potential health effects Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Ingestion May be harmful if swallowed. Skin May be harmful if absorbed through skin. May cause skin irritation. Eyes May cause eye irritation. Additional Information RTECS: EK1610000 (DTT) RTECS: MD0907700 (Triton X-100)

### 12. ECOLOGICAL INFORMATION

#### Toxicity

LC50 - Daphnia magna (Water flea) - 27 mg/l - 48 h (DTT) Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 8.9 mg/l - 96.0 h (Triton X-100) Toxicity to daphnia and other aquatic invertebrates- EC50 - Daphnia - 26 mg/l - 48 h (Triton X-100)

Persistence and degrad	ability no information available			
Biodegradation	Biotic/Aerobic Biochemical oxygen demand - Exposure time 28 d Result: 36 Not			
	readily biodegradable. (Closed Bottle test) (Triton X-100)			
Mobility in soil	no information available			
Results of PBT and vPv	B assessment no information available			

46117 Landing Parkway, Fremont, CA 94538, U.S.A. Tel: 1-510-265-1027; Fax: 1-510-265-1352 btinfo@biotium.com http://www.biotium.com/

Other adverse effectsno information availableAdditional informationno information available

# 13. DISPOSAL CONSIDERATIONS

Do not dispose product directly into sewage. Consult local state or national regulation for proper disposal.

### 14. TRANSPORT INFORMATION

### IATA, IMDG, DOT (US)

UN number3082UN proper shipping nameEnvironmentally hazardous substance, liquid, n.o.s. (p-tertiary-Octylphenoxypolyethyl alcohol)Transport hazard classPacking groupIIIEnvironmental hazardsMarine pollutantSpecial precaution for usernone

# 15. REGULATION INFORTMATION

### **US Federal Regulations**

Us Toxic Substances Control Act (TSCA): Triton X-100 SARA 302: No chemicals were found. SARA 313: No chemicals were found. SARA 311/312 Hazards: Health hazard, immediate, acute

### 16. OTHER INFORMATION

Classification according to Regulation (EC) Nr. 1272/2008

 Prepared by:
 Regulatory Department

 Biotium Inc.
 Version no.

 Version no.
 4

 Reason for revision
 Correction to hazard classification.

The information provided above is believed to be correct to our best knowledge, but does not purport to be all inclusive, and shall be used only as a guide. This material is sold for research purposes only and is not required to appear on the TSCA inventory. It is not intended for food, drug, household, agricultural or cosmetic use. Its use must be supervised by a technically qualified individual experienced in handling potentially hazardous chemicals. Biotium shall not be held liable for any damage resulting from handling or contact with the above product.