

SAFETY DATA SHEET

Dewaxing Solution

SECTION 1: Identification

1.1. Product identifier Trade name **Dewaxing Solution** Other names / Synonyms 99876-30ML: Dewaxing Solution, 30 mL Product no. 99876-30ML 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Use as laboratory reagent. For research use only. Not for food, drug, household, or cosmetic use. Restricted to professional users. Uses advised against None known. 1.3. Details of the supplier of the safety data sheet Company and address **Biotium**, Inc. 46117 Landing Parkway CA 94538 Fremont USA T: +1 510-265-1027 Fax: +1 510-265-1352 http://www.biotium.com E-mail techsupport@biotium.com SDS date 5/15/2024 SDS Version 1.0 1.4. Emergency telephone number In an emergency call 911 Alberta / Northwestern Territories (PADIS): 1-800-332-1414 British Columbia (DPIC): 1-800-567-8911 Manitoba: 1-855-7POISON (1-855-776-4766) New Brunswick: 911 Nova Scotia / Prince Edward Island (IWK): 1-800-565-8161 Ontario (OPC): 1-800-268-9017 Québec (CAPQ): 1-800-463-5060 Saskatchewan (PADIS): 1-866-454-1212 Yukon Territory: (867) 393-8700 Transport emergenices: Call CANUTEC at 1-888-CAN-UTEC (226-8832), 613-996-6666 or *666 on a cellular phone (24 hours) See also section 4 "First aid measures".

SECTION 2: Hazard(s) identification

Classified according to WHMIS 2022.

2.1. Classification of the substance or mixture

Asp. Tox. 1; H304, May be fatal if swallowed and enters airways.

2.2. Label elements



Hazard pictogram(s)
Signal word Danger
Hazard statement(s) May be fatal if swallowed and enters airways. (H304)
Precautionary statement(s)
General
Prevention
Response IF SWALLOWED: Immediately call a POISON CENTER/doctor. (P301+P310) Do NOT induce vomiting. (P331)
Storage
- Disposal Dispose of contents/container in accordance with local regulation (P501)
Hazardous substances Hexadecane
Additional labelling Not applicable.
2.3. Other hazards
Additional warnings This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.
SECTION 3: Composition/Information on Ingredients
3.1. SubstancesNot applicable. This product is a mixture.3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Hexadecane	CAS No.: 544-76-3	80-100%%	Asp. Tox. 1, H304 1, HHNOC066	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

SECTION 4: First-aid measures

4.1. Description of first aid measures

General information

If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid).

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact



Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER/doctor.

Do not induce vomiting! If vomiting occurs, keep head facing down so that vomit does not get into the lungs. Call a doctor or ambulance. Symptoms of chemical pneumonia can appear after several hours. People who have swallowed the product should therefore be kept under medical attention for at least 48 hours.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

This product contains substances that can cause chemical pneumonia if swallowed. Symptoms of chemical pneumonia may appear after several hours.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact a poison centre in order to obtain further advice. See section 1 "Emergency telephone number".

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances. Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid direct contact with the product.



Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

No specific requirements

Storage temperature

Keep container tightly closed in a dry and well-ventilated place.

Room Temperature. For Biotium products where the label indicates room temperature or RT, this implies storage in ambient conditions between 20°C and 30°C.

Incompatible materials

No specific requirements

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No substances are listed in any provincial list of substances with an occupational exposure limit.

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally

Use only protective equipment with a recognized certification mark, e.g. the UL mark.

Respiratory Equipment

Туре	Class	Colour	Standards	
Not required; except in case of aerosol formation.			N/A	
kin protection				
Recommended	Type/Category	Standards		
No specific requirements.	-	-		
land protection				
Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Handle with gloves. Gloves must be inspected prior to use. Use proper glove				



MaterialGive thickness (mm) (min.)Breakthrough time (min.)StandardsImport Touching go with his product. Dispose of contraininated gloves after use in accordance end good laboratoryImport StandardsEye protectionStandardsTypeStandardsStafey glasses with side-shields conforming to EN166. Use government standards such a NOSH (US) orEN166Stafey glasses with side-shields or worketion tested and appropriate government standards such a NOSH (US) orEN166Stafey glasses with applicable laws such as NOSH (US) orEN166Stafey glasses with applicable laws such as NOSH (US) orEN166Stafey glasses with applicable laws appropriate appropriate appropriate appropriate appropriate appropriate such as NOSH (US) orEN166Stafey glasses with togglou, appropriate appr						
without touching gloves outry surface) to avoid skin contact with this product. Dispose of contaminated gloves and good laboratory and good laboratory and good laboratory practices. Wash and dynamics. Eye protection Safety glasses with Statisty glasses with Sub equipment for eye approved under approved apps 9.1. Information on basic physical and chemical properties Physical state Liquid Colour No data available Odour threshold (ppm) Odour threshold (ppm) No data available Phase changes Mel	Mate	rial	Glove thickness (mm)		Standards	
Eye protection Type Standards Sefery glasses with soft-shields EN166 soft-shields Control of the standards approved under approved unders sportset SECTION 9: Physical and chemical properties Physical state 11. Information on basic physical and chemical properties Physical state Liquid Colour No data available Odour threshold (ppm) No data available Odour threshold (ppm) No data available No data available PH No data available PHase changes Melting point (°C) 18 Boiling point (°C) 285 Yapour pressure 0.004 hP (20 °C) Relative vapour density 7.82 Decomposition temperature (°C)	(witho glove to avo with t Dispo conta after with a and g practi	but touching s outer surface) hid skin contact his product. se of minated gloves use in accordance pplicable laws ood laboratory ces. Wash and				
Type Standards Safety glasses with side-shields conforming to EN166. Use equipment for equ						
side-shields conforming to EN166. Use equipment for eye protection tested and approved under approved under such as NOSH (US) or EN 166(EU). SECTION 9: Physical and chemical properties Physical state Liquid Colour No data available Odour threshold (ppm) No data available Odour threshold (ppm) No data available Density (g/cm ³) 0.773 Relative density No data available Density (g/cm ³) 0.773 Relative density No data available Phase changes Metting point (°C) 18 Boiling point (°C) 285 Vapour pressure 0.004 hPa (20 °C) Relative vapour density 7.82 Decomposition temperature (°C)			Standards			
9.1. Information on basic physical and chemical properties Physical state Liquid Colour No data available Odour threshold (ppm) No data available pH No data available Density (g/cm ³) 0.773 Relative density No data available Kinematic viscosity 4.29 mm ² /s (20 °C) Particle characteristics No data available Phase changes Melting point (°C) 18 Boiling point (°C) 18 Boiling point (°C) 18 Boiling point (°C) 18 Boiling point (°C) 18 Boiling point (°C) 18 Boiling point (°C) 7.82 Decomposition temperature (°C)	side-s confo Use e prote appro appro gover such a	hields rming to EN166. quipment for eye ction tested and ved under priate nment standards as NIOSH (US) or				
Colour No data available Odour threshold (ppm) No data available pH No data available Density (g/cm ³) 0.773 Relative density No data available Kinematic viscosity 4.29 mm ² /s (20 °C) Particle characteristics No data available Phase changes Melting point (°C) 18 Boiling point (°C) 285 Vapour pressure 0.004 hPa (20 °C) Relative vapour density 7.82 Decomposition temperature (°C)	9.1. Inform Physical	ation on basic p state		operties		
Odour None Odour threshold (ppm) No data available pH No data available Density (g/cm ³) 0.773 Relative density No data available Kinematic viscosity 4.29 mm ² /s (20 °C) Particle characteristics No data available Phase changes Melting point (°C) 18 Boiling point (°C) 285 Vapour pressure 0.004 hPa (20 °C) Relative vapour density 7.82 Decomposition temperature (°C)	Colour					
Odour threshold (ppm) No data available pH No data available Density (g/cm ³) 0.773 Relative density No data available Kinematic viscosity 4.29 mm ² /s (20 °C) Particle characteristics No data available Phase changes Melting point (°C) 18 Boiling point (°C) 285 Vapour pressure 0.004 hPa (20 °C) Relative vapour density 7.82 Decomposition temperature (°C)		ita available				
pH No data available Density (g/cm ³) 0.773 Relative density No data available Kinematic viscosity 4.29 mm ² /s (20 °C) Particle characteristics No data available Phase changes Melting point (°C) 18 Boiling point (°C) 285 Vapour pressure 0.004 hPa (20 °C) Relative vapour density 7.82 Decomposition temperature (°C)	Odour th					
Density (g/cm ³) 0.773 Relative density No data available Kinematic viscosity 4.29 mm ² /s (20 °C) Particle characteristics No data available Phase changes Melting point (°C) 18 Boiling point (°C) 285 Vapour pressure 0.004 hPa (20 °C) Relative vapour density 7.82 Decomposition temperature (°C)	рН					
Relative density No data available Kinematic viscosity 4.29 mm ² /s (20 °C) Particle characteristics No data available Phase changes Melting point (°C) 18 Boiling point (°C) 285 Vapour pressure 0.004 hPa (20 °C) Relative vapour density 7.82 Decomposition temperature (°C)	Density (g/cm³)				
 4.29 mm²/s (20 °C) Particle characteristics No data available Phase changes Melting point (°C) 18 Boiling point (°C) 285 Vapour pressure 0.004 hPa (20 °C) Relative vapour density 7.82 Decomposition temperature (°C) 	Relative	density				
No data available Phase changes Melting point (°C) 18 Boiling point (°C) 285 Vapour pressure 0.004 hPa (20 °C) Relative vapour density 7.82 Decomposition temperature (°C)						
Phase changes Melting point (°C) 18 Boiling point (°C) 285 Vapour pressure 0.004 hPa (20 °C) Relative vapour density 7.82 Decomposition temperature (°C)						
18 Boiling point (°C) 285 Vapour pressure 0.004 hPa (20 °C) Relative vapour density 7.82 Decomposition temperature (°C)		-				
285 Vapour pressure 0.004 hPa (20 °C) Relative vapour density 7.82 Decomposition temperature (°C)	18					
0.004 hPa (20 °C) Relative vapour density 7.82 Decomposition temperature (°C)		oint (°C)				
7.82 Decomposition temperature (°C)						
		vapour density				
			ture (°C)			



Flash point (°C) 112
Flammability (°C) No data available
Auto-ignition temperature (°C)
No data available Explosion limits (% v/v)
No data available Solubility
Solubility in water Insoluble
n-octanol/water coefficient (LogKow) No data available
Solubility in fat (g/L) No data available
9.2. Other information
Evaporation rate (n-butylacetate = 100) No data available
Other physical and chemical parameters No data available.
Oxidizing properties No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

- No data available.
- 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

- 10.3. Possibility of hazardous reactions
- None known.
- 10.4. Conditions to avoid Heat, flames and sparks.
- 10.5. Incompatible materials
- No specific requirements

10.6. Hazardous decomposition products The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Product/substance	Hexadecane
Test method:	OECD 401
Species:	Rat, male/female
Route of exposure:	Oral
Test:	LD50
Result:	5000 mg/kg
Product/substance	Hexadecane
Test method:	OECD 402

Test method:	OECD 402
Species:	Rabbit, male/female
Route of exposure:	Dermal
Test:	LD50
Result:	3160 mg/kg

Hexadecane

OECD 404

Rabbit

Skin corrosion/irritation

Product/substance Test method: Species:



····g·····(·····(····),
4 hours
No adverse effect observed (Not irritating)
ion
Hexadecane
OFCD 405
Rabbit
24 hours
No adverse effect observed (Not irritating)
Hexadecane
OECD 406
Guinea pig
No adverse effect observed (not sensitising)
the classification criteria are not met.
Hexadecane
OECD 471
S. typhimurium No adverse effect observed
NO adverse effect observed

Product/substance	Hexadecane
Test method:	OECD 474
Species:	Mouse
Conclusion:	No adverse effect observed

Product/substance	Hexadecane
Test method:	OECD 475
Species:	Rat
Conclusion:	No adverse effect observed

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

Long term effects

None known.

Other information

None known.

SECTION 12: Ecological information

12.1. Toxicity

12.1. TOXICILY	
Product/substance	Hexadecane
Species:	Fish
Duration:	96 hours
Test:	LL50
Result:	1028 mg/L
Product/substance	Hexadecane
Species:	Algae, Pseudokirchneriella subcapitata
Duration:	72 hours
Test:	EL50
Result:	3200 mg/L



12.2. Persistence and degradability

Product/substance	Hexadecane
Compartment:	Air
Duration:	28 days
Result:	74 %
Conclusion:	Readily biodegradable

12.3. Bioaccumulative potential

Product/substance	Hexadecane
Duration:	7 days
BCF:	5.6
Conclusion:	-

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

- This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.
- 12.6. Other adverse effects None known.

SECTION 13: Disposal considerations

Waste treatment methods

None of the components are listed

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / 1	14.2 ID UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
TDG	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

- Additional information
 - Not dangerous goods according to TDG, IATA and IMDG.
- 14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Canadian lists

DSL / NDSL

- Hexadecane is listed
- 15.4. Restrictions for application
- Restricted to professional users.
- 15.5. Demands for specific education No specific requirements.
- Additional information

Not applicable.

15.7. Chemical safety assessment



No Sources Hazardous Products Regulations (SOR/2022-272)
SECTION 16: Other information
Full text of H-phrases as mentioned in section 3 H304, May be fatal if swallowed and enters airways. HHNOC056, Repeated exposure may cause skin dryness or cracking. The full text of identified uses as mentioned in section 1 None known. Abbreviations and acromyms ANSI = American National Standards Institute ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service DSI = Domestic Substances List GHS = Globally Harmonized System of Classification and Labelling of Chemicals HHNOC = Health Hazards Not Otherwise Classified IARC = International Agency for Research on Cancer IATA = International Ari Transport Association IMDG = International Agency for Research on Cancer IATA = International Ari Transport Association IMDG = International Ari Transport Association IMDG = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978, ("Marpol" = marine pollution) NDSL = Non-domestis cubstances list OECD = Organisation for Economic Co-operation and Development PHT = Persistent, Bioaccumulative and Toxic PHNOC = Physical Hazards Not Otherwise Classified RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail SCL = A specific Concentration limit. SOR = Statutory Orders and Regulations STEL = Short-term exposure limits STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-RE = Specific Target Organ Toxicity - Repeated Exposure TDG = Transportation of Dangerous Goods WA = Time weighted average UN = United Nations UVRC = Unknown or variable composition, complex reaction products or of biological materials VOC = volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative MHIMS = Workplace Hazardous Materials Information System Additional information The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by WHMIS 2022 The information provided above is believed to be correct to our best knowledge, but does not purport to be all inclus
A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle. The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: CA-en