

## SAFETY DATA SHEET

## TrueBlack Lipofuscin Autofluorescence Quencher, 20X in DMF

## SECTION 1: Identification

## 1.1. Product identifier

## Trade name

TrueBlack Lipofuscin Autofluorescence Quencher, 20X in DMF

## Product no.

23007

## Other means of identification

CAS No.: 68-12-2

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Relevant identified uses of the substance or mixture

Use as laboratory reagent. For research use only. Not for food, drug, household, or cosmetic use.  
Restricted to professional and industrial use.

## Uses advised against

None known.

## 1.3. Details of the supplier of the safety data sheet

## Company and address

**Biotium, Inc.**

46117 Landing Parkway

CA 94538 Fremont

USA

T: +1 510-265-1027

Fax: +1 510-265-1352

<http://www.biotium.com>

## E-mail

[techsupport@biotium.com](mailto:techsupport@biotium.com)

## SDS date

5/4/2026

## SDS Version

3.0

## Date of previous version

5/1/2026 (2.0)

## 1.4. Emergency telephone number

Contact the poison control at 1-800-222-1222 (24/7) or use the webPOISONCONTROL® ([triage.webpoisoncontrol.org](http://triage.webpoisoncontrol.org)) to get specific guidance for your case  
See also section 4 "First aid measures".

## SECTION 2: Hazard(s) identification

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

## 2.1. Classification of the substance or mixture

Flam. Liq. 3; H226, Flammable liquid and vapour.

Acute Tox. 4; H312, Harmful in contact with skin.

Eye Irrit. 2; H319, Causes serious eye irritation.

Acute Tox. 4; H332, Harmful if inhaled.

Repr. 1B; H360, May damage fertility or the unborn child.

## 2.2. Label elements

### Hazard pictogram(s)



### Signal word

Danger

### Hazard statement(s)

Flammable liquid and vapour. (H226)  
 Harmful in contact with skin or if inhaled. (H312+H332)  
 Causes serious eye irritation. (H319)  
 May damage fertility or the unborn child. (H360)

### Precautionary statement(s)

#### General

Not applicable.

#### Prevention

Obtain special instructions before use. (P201)  
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210)  
 Avoid breathing mist/vapour. (P261)  
 Use only outdoors or in a well-ventilated area. (P271)  
 Wear eye protection/face protection/protective gloves. (P280)

#### Response

IF ON SKIN: Wash with plenty of water and soap. (P302+P352)  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing. (P304+P340)  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)  
 IF exposed or concerned: Get medical advice/attention. (P308+P313)  
 Call a POISON CENTER/doctor if you feel unwell. (P312)  
 Specific treatment (see instructions on this label). (P321)  
 If eye irritation persists: Get medical advice/attention. (P337+P313)  
 Take off contaminated clothing and wash it before reuse. (P362+P364)  
 In case of fire: Use water mist/carbon dioxide/alcohol-resistant foam to extinguish. (P370+P378)

#### Storage

Store in a well-ventilated place. Keep cool. (P403+P235)

#### Disposal

Dispose of contents/container in accordance with local regulation. (P501)

## SECTION 3: Composition/Information on Ingredients

### 3.1. ▼ Substances

Product/substance	Identifiers	% w/w	Classification	Note
N,N-dimethylformamide	CAS No.: 68-12-2	98%	Flam. Liq. 3, H226 Acute Tox. 4, H312 Eye Irrit. 2, H319 Acute Tox. 4, H332 Repr. 1B, H360	

### 3.2. Mixtures

Not applicable. This product is a substance.

Where the concentration of an ingredient is expressed as a range the exact concentration has been withheld as a trade secret.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

## Other information

-

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

#### General information

If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid).

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the injured person into fresh air. Make sure the injured person is continuously monitored. Prevent shock by keeping the injured person warm and calm. If breathing ceases, give mouth-to-mouth resuscitation. If unconscious, roll the injured person into recovery position. Call an ambulance.

#### Skin contact

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

#### Eye contact

If in eyes: Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Remove contact lenses. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

#### Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

#### Burns

Rinse with water until pain stops then continue to rinse for 30 minutes.

### 4.2. Most important symptoms and effects, both acute and delayed

Intolerance to alcohol can occur up to 4 days after exposure to dimethylformamide. Dimethylformamide is considered to be a potent liver toxin. Vomiting, Diarrhoea, Abdominal pain.

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

#### Information to medics

Bring this safety data sheet or the label from this product.

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

## 5.2. Special hazards arising from the substance or mixture

Flammable liquid and vapour.

In use may form flammable/explosive vapour-air mixture.

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Nitrogen oxides (NO<sub>x</sub>)

Carbon oxides (CO / CO<sub>2</sub>)

## 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the Poison Help Line on 1-800-222-1222 (24/7) in order to obtain further advice.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Storages not yet ignited must be cooled by water mist. Remove flammable materials if conditions allow it. Ensure sufficient ventilation.

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Avoid inhalation of vapours from spilled material.

Contaminated areas may be slippery.

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Ground and bond container and receiving equipment.

Use explosion-proof electrical/lighting/ventilating equipment.

Use non-sparking tools.

Take action to prevent static discharges.

Avoid direct contact with the product.

Avoid contact during pregnancy and while nursing.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Take action to prevent static discharges.

Must be stored in a cool and well-ventilated area, away from possible sources of ignition.

#### Recommended storage material

No specific requirements

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place.

Room Temperature. For Biotium products where the label indicates room temperature or RT, this implies storage in ambient conditions between 20°C and 30°C.

**Incompatible materials**

No specific requirements

**7.3. Specific end use(s)**

This product should only be used for applications quoted in section 1.2.

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

N,N-dimethylformamide

Long term exposure limit (OSHA Table Z-1) (mg/m<sup>3</sup>): 30

Long term exposure limit (OSHA Table Z-1) (ppm): 10

Long term exposure limit (ACGIH TLV) (ppm): 10

No substances are listed with a permissible exposure limit CIB 66 [NIOSH 2014-100]

Part 1910 - Occupational Safety and Health Standards (29 CFR 1910.1000 TABLE Z-1 - Limits for Air Contaminants)

**8.2. Exposure controls**

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

**General recommendations**

Smoking, drinking and consumption of food is not allowed in the work area.

**Exposure scenarios**

There are no exposure scenarios implemented for this product.

**Exposure limits**

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

**Appropriate technical measures**

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

**Hygiene measures**

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

**Measures to avoid environmental exposure**

Keep damming materials near the workplace. If possible, collect spillage during work.

**Individual protection measures, such as personal protective equipment**

**Generally**

Use only protective equipment with a recognized certification mark, e.g. the UL mark.

**Respiratory Equipment**

Type	Class	Colour	Standards
n/a	n/a	n/a	n/a

**Skin protection**

Recommended	Type/Category	Standards
No specific requirements.	-	-

**Hand protection**


Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching			



Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.			

#### Eye protection

Type	Standards
Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).	EN166



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Physical state

Liquid

#### Color

Black, Blue

#### Odor

No data available

#### Odor threshold (ppm)

No data available

#### pH

No data available

#### Density (g/cm<sup>3</sup>)

No data available

#### Relative density

No data available

#### Kinematic viscosity

No data available

#### Particle characteristics

No data available

#### Phase changes

##### Melting point/freezing point (°F)

No data available

##### Softening point/range (°F)

Does not apply to liquids.

##### Boiling point (°F)

No data available

##### Vapor pressure

No data available

Relative vapor density

No data available

Decomposition temperature (°F)

No data available

Data on fire and explosion hazards

Flash point (°F)

No data available

Flammability (°F)

The material is ignitable.

Auto-ignition temperature (°F)

No data available

Explosion limits (% v/v)

No data available

Solubility

Solubility in water

Soluble in water

n-octanol/water coefficient (LogKow)

No data available

Solubility in fat (g/L)

No data available

9.2. Other information

Evaporation rate (n-butylacetate = 100)

No data available

Other physical and chemical parameters

No data available.

Oxidizing properties

No data available

## SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions, including those associated with foreseeable emergencies

None known.

10.4. Conditions to avoid

Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure.

Heat, flames and sparks.

10.5. Incompatible materials

No specific requirements

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Harmful in contact with skin.

Harmful if inhaled.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

May damage fertility or the unborn child.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs.

Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system.

Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin,

sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in

the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other

hazardous substances at the area of exposure.

#### Other information

N,N-dimethylformamide has been classified by IARC as a group 2A.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

#### 12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

#### 12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

#### 12.6. Other adverse effects

None known.

### SECTION 13: Disposal considerations

#### RCRA Hazardous waste ("P" and "U" list) (40 CFR 261)




None of the components are listed

#### Specific labelling

#### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

### SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
DOT	UN2265	N,N-DIMETHYLFORMAMIDE	Transport hazard class: 3 Label: 3 Classification code: F1 	III	No	Limited quantities: 5 L Tunnel restriction code: (D/E) See below for additional information.
IMDG	UN2265	N,N-DIMETHYLFORMAMIDE	Transport hazard class: 3 Label: 3 Classification code: F1 	III	No	Limited quantities: 5 L EmS: F-E S-D See below for additional information.
IATA	UN2265	N,N-DIMETHYLFORMAMIDE	Transport hazard class: 3 Label: 3 Classification code: F1 	III	No	See below for additional information.

\* Packing group

\*\* Environmental hazards

#### Additional information

This product is within scope of the regulations of transport of dangerous goods.

DOT / See § 172.101 Hazardous Materials Table for any information on special provisions, requirements, or warnings in connection with transport. See § 172.602, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Transport in bulk according to IMO instruments

No data available.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2. U.S. Federal regulations

##### TSCA (the non-confidential portion)

N,N-dimethylformamide is listed

##### Clean Air Act

N,N-dimethylformamide is regulated as a hazardous air pollutant (HAPS)

##### EPCRA Section 302

None of the components are listed

##### EPCRA Section 304

None of the components are listed

##### EPCRA section 313

N,N-dimethylformamide is listed

##### CERCLA

N,N-dimethylformamide is regulated with a Reportable Quantity (RQ) of: 100 pounds

##### Hazardous chemical inventory reporting

#### 15.3. State regulations

#### California / Prop. 65

N,N-dimethylformamide is known to cause: Cancer

—

#### Massachusetts / Right To Know Act

N,N-dimethylformamide is listed

#### New Jersey / Right To Know Act

N,N-dimethylformamide / Substance number: 0759

N,N-dimethylformamide is on the Special Health Hazard Substance List

—

#### New York / Right To Know Act

N,N-dimethylformamide is listed

N,N-dimethylformamide is regulated with a Reportable Quantity (RQ) of: 1 pounds

N,N-dimethylformamide is regulated with a Treshold Reporting Quantity (TRQ) of: 0 pounds

—

#### Pennsylvania / Right To Know Act

N,N-dimethylformamide is listed

—

#### 15.4. Restrictions for application

Restricted to professional users.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

#### 15.5. Demands for specific education

No specific requirements.

#### 15.6. Additional information

Not applicable.

#### 15.7. Chemical safety assessment

No

#### 15.8. Sources

OSHA Hazard Communication Standard (29 CFR 1910.1200)

### SECTION 16: Other information

#### Full text of H-phrases as mentioned in section 3

H226, Flammable liquid and vapour.

H312, Harmful in contact with skin.

H319, Causes serious eye irritation.

H332, Harmful if inhaled.

H360, May damage fertility or the unborn child.

#### The full text of identified uses as mentioned in section 1

None known.

#### Abbreviations and acronyms

ACGIH = American Conference of Governmental Industrial Hygienists

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CERCLA = Comprehensive Environmental Response Compensation and Liability Act

DOT = Department of Transportation

EINECS = European Inventory of Existing Commercial chemical Substances

EPCRA = Emergency Planning and Community Right-To-Know Act

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

HCIS = Hazardous Chemical Information System

HNOC = Hazards Not Otherwise Classified

IARC = International Agency for Research on Cancer

IATA = International Air Transport Association  
IMDG = International Maritime Dangerous Goods  
LogKow = logarithm of the n-octanol/water coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
NFPA = National Fire Protection Association  
NIOSH = National Institute for Occupational Safety and Health  
OECD = Organisation for Economic Co-operation and Development  
OSHA = Occupational Safety and Health Administration  
PBT = Persistent, Bioaccumulative and Toxic  
RCRA = Resource Conservation and Recovery Act  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
RRN = REACH Registration Number  
SARA = Superfund Amendments and Reauthorization Act  
SCL = A specific concentration limit.  
STEL = Short-term exposure limits  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
TSCA = The Toxic Substances Control Act  
TWA = Time weighted average  
UN = United Nations  
UVBC = Unknown or variable composition, complex reaction products or of biological materials  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative

#### Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by HCS (29 CFR 1910.1200).

The classification of the mixture in regard to physical hazards has been based on experimental data.

The information provided above is believed to be correct to our best knowledge, but does not purport to be all inclusive, and shall be used only as a guide. This material is sold for research purposes only and is not required to appear on the TSCA inventory. It is not intended for food, drug, household, agricultural or cosmetic use. Its use must be supervised by a technically qualified individual experienced in handling potentially hazardous chemicals. Biotium shall not be held liable for any damage resulting from handling or contact with the above product.

#### The safety data sheet is validated by

Julianne Davis

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: US-en