## Ferritin, Light Chain Monoclonal Mouse Antibody (FTL/1388)



## **Product Description**

Mammalian ferritins consist of 24 subunits made up of 2 types of polypeptide chains, ferritin heavy chain and ferritin light chain. Ferritin heavy chains catalyze the first step in iron storage, the oxidation of Fe (II), whereas ferritin light chains promote the nucleation of ferrihydrite, enabling storage of Fe (III). Light chain ferritin is involved in cataracts by at least two mechanisms, hereditary hyperferritinemia cataract syndrome, in which light chain ferritin is overexpressed, and oxidative stress, an important factor in the development of ageing-related cataracts.

Primary antibodies are available purified, or with a selection of fluorescent CF® dyes and other labels. CF® dyes offer exceptional brightness and photostability. See the CF® Dye Brochure for more information. Note: Conjugates of blue fluorescent dyes like CF®405S and CF®405M are not recommended for detecting low abundance targets, because blue dyes have lower fluorescence and can give higher non-specific background than other dye colors.

**Stock status:** Because Biotium offers a large number of antibody and conjugation options, primary antibody conjugates may be made to order. Typical lead times are up to one week for CF® dye and biotin conjugates, and up to 2-3 weeks for fluorescent protein and enzyme conjugates. Please email <a href="mailto:order@biotium.com">order@biotium.com</a> to inquire about stock status and lead times before placing your order.

Catalog number key for antibody number 1388, Anti-Ferritin, Light Chain (FTL/1388)

## Product attributes

| Product attributes                       |  |  |  |  |
|--|--|--|--|--|
| Antibody number                          | #1388  |  |  |  |
| Antibody reactivity (target)             | Ferritin, Light Chain  |  |  |  |
| Antibody type                            | Primary  |  |  |  |
| Host species                             | Mouse  |  |  |  |
| Clonality                                | Monoclonal   |  |  |  |
| Clone                                    | FTL/1388   |  |  |  |
| Isotype                                  | lgG2a  |  |  |  |
| Molecular weight                         | 19-25 kDa  |  |  |  |
| Synonyms                                 | Ferritin L chain; Ferritin L subunit; Ferritin light chain; Ferritin light polypeptide; FTL; LFTD; NBIA3   |  |  |  |
| Human gene symbol                        | FTL  |  |  |  |
| Entrez gene ID                           | 2512   |  |  |  |
| SwissProt                                | P02792   |  |  |  |
| Unigene                                  | 433670   |  |  |  |
| Immunogen                                | Recombinant human FTL protein fragment (aa 38-165) (exact sequence is proprietary)   |  |  |  |
| Verified antibody applications           | IHC (FFPE) (verified), WB (verified)   |  |  |  |
| Antibody target cellular<br>localization | Cytoplasmic  |  |  |  |
| Species reactivity                       | Human  |  |  |  |
| Antibody application notes               | Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody, Immunohistology (formalin) 0.1-0.2 ug/mL, Flow cytometry 0.1-0.2ug/million cells Immunofluorescence 0.1-0.2ug/ml, Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min, Optimal dilution for a specific application should be determined by user |  |  |  |
| Positive control                         | HepG2, HeLa, HL-60 or 293T cells. Pancreas, Liver, Cerebellum or Testis.   |  |  |  |
| Shipping condition                       | Room temperature   |  |  |  |
| Storage Conditions                       | Store at 2 to 8 °C, Protect fluorescent conjugates from light, Note: store BSA-free antibodies at -10 to -35 °C  |  |  |  |
| Shelf life                               | Guaranteed for at least 24 months from date of receipt when stored as recommended  |  |  |  |
| Regulatory status                        | For research use only (RUO)  |  |  |  |
| Antibody/conjugate formulation           | Conjugates: 0.1 mg/mL in PBS/0.1% BSA/0.05% azide, HRP conjugates: 0.1 mg/mL in PBS/0.05% BSA, Purified: 0.2 mg/mL in PBS/0.05% BSA/0.05% azide, Purified, BSA-free: 1 mg/mL in PBS without azide  |  |  |  |
| Validated in protein array               | Monospecific   |  |  |  |
| Antibody research areas                  | Metabolism   |  |  |  |
| Product origin                           | Product may contain either bovine serum albumin (BSA) from bovine serum (Bos taurus), or recombinant BSA produced in Chinese hamster ovary cells. Inquire for the specific lot.  |  |  |  |

Call us: 800-304-5357 Email: techsupport@biotium.com

| Antibody # prefix | Conjugation           | Ex/Em (nm) | Laser line | Detection channel           | Dye Features     |
|-------------------|-----------------------|------------|------------|-----------------------------|------------------|
| BNC04             | CF®405S               | 404/431    | 405        | DAPI (microscopy),<br>AF405 | CF®405S Features |
| BNC88             | CF®488A               | 490/515    | 488        | GFP, FITC                   | CF®488A Features |
| BNC68             | CF®568                | 562/583    | 532, 561   | RFP, TRITC                  | CF®568 Features  |
| BNC94             | CF®594                | 593/614    | 561        | Texas Red®                  | CF®594 Features  |
| BNC40             | CF®640R               | 642/662    | 633-640    | Cy®5                        | CF®640R Features |
| BNC47             | CF®647                | 650/665    | 633-640    | Cy®5                        | CF®647 Features  |
| BNC74             | CF®740                | 742/767    | 633-685    | 775/50                      | CF®740 Features  |
| BNCB              | Biotin                | N/A        | N/A        | N/A                         |                  |
| BNUB              | Purified              | N/A        | N/A        | N/A                         |                  |
| BNUM              | Purified,<br>BSA-free | N/A        | N/A        | N/A                         |                  |

Alexa Fluor, Pacific Blue, Pacific Orange, and Texas Red are trademarks or registered trademarks of Thermo Fisher Scientific; Cy is a registered trademark of Cytiva; IRDye, LI-COR, and Odyssey are registered trademarks of LI-COR Bioscience.

This datasheet was generated on July 12, 2025 at 02:40:22 AM. Visit product page to check for updated information before use. Product link: https://biotium.com/product/mouse-monoclonal-anti-ferritin-light-chain-ftl1388/