CD20 / MS4A1 Monoclonal Mouse Antibody (L26)

Product Description

This antibody recognizes a protein of 30-33 kDa, which is identified as CD20. Its epitope is located in the cytoplasmic domain of CD20 and was, therefore, ascribed as CD20cy in the 5th Workshop. CD20 is a non-lg differentiation antigen of B-cells and its expression is restricted to normal and neoplastic B-cells, being absent from all other leukocytes and tissues. CD20 is expressed by pre B-cells and persists during all stages of B-cell maturation but is lost upon terminal differentiation into plasma cells. This MAb can be used for immunophenotyping of leukemia and malignant cells, B lymphocyte detection in peripheral blood and B cell localization in tissues. It reacts with the majority of B-cells present in peripheral blood and lymphoid tissues and their derived lymphomas. In lymphoid tissue, germinal center blasts and B-immunoblasts are particularly reactive. It is a reliable antibody for ascribing a B-cell phenotype in known lymphoid tissues. Rarely, CD20-positive T-cell lymphomas have been reported. Reactivity has also been noted with Reed-Sternberg cells in cases of Hodgkin s disease, particularly of lymphocyte predominant type. Catalog number key for antibody number 0766, Anti-CD20|MS4A1 (L26)

Call us: 800-304-5357 Email: techsupport@biotium.com

Product attributes

| Antibody number | #0766 | | | |
|--|---|--|--|--|
| Antibody reactivity (target) | CD20, MS4A1 | | | |
| Antibody type | Primary | | | |
| Host species | Mouse | | | |
| Clonality | Monoclonal | | | |
| Clone | L26 | | | |
| Isotype | IgG2a, kappa | | | |
| Molecular weight | 33-37 kDa | | | |
| Synonyms | APY; ATOPY; B-lymphocyte cell-surface antigen B1; Bp35; Fc epsilon receptor I beta chain; Fc Fragment of IgE high affinity I receptor for beta polypeptide; FCER1B; High affinity immunoglobulin epsilon receptor subunit beta; IgE Fc receptor subunit beta; IGEL; IGER; IGHER; Leukocyte surface antigen Leu-16; Ly44; MS4A1; MS4A2 | | | |
| Human gene symbol | MS4A1 | | | |
| Entrez gene ID | 931 | | | |
| SwissProt | P11836 | | | |
| Unigene | 712553 | | | |
| Immunogen | Human tonsil B cells | | | |
| Antibody target cellular localization | Plasma membrane | | | |
| Verified antibody applications | Flow (verified), IF (verified), IHC (FFPE) (verified), WB (verified) | | | |
| Species reactivity | Human | | | |
| Antibody application notes | Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody, Immunofluorescence: 1-2 ug/mL, Immunohistochemistry (formalin-fixed): 0.5-1 ug/mL for 30 minutes at RT, Western blot: 1-2 ug/mL, Flow cytometry: 0.5-1 ug/million cells, Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes, Optimal dilution for a | | | |
| | specific application should be determined by user | | | |
| Positive control | specific application should be determined by user Daudi, Raji and U266 cell lines. Human lymphocytes. Human lymph node or tonsil. | | | |
| Positive control Shipping condition | Daudi, Raji and U266 cell lines. Human lymphocytes. Human | | | |
| | Daudi, Raji and U266 cell lines. Human lymphocytes. Human lymph node or tonsil. | | | |
| Shipping condition | Daudi, Raji and U266 cell lines. Human lymphocytes. Human lymph node or tonsil. Room temperature Store at 2 to 8 °C, Protect fluorescent conjugates from light, | | | |
| Shipping condition Storage Conditions | Daudi, Raji and U266 cell lines. Human lymphocytes. Human lymph node or tonsil. Room temperature Store at 2 to 8 °C, Protect fluorescent conjugates from light, Note: store BSA-free antibodies at -10 to -35 °C | | | |
| Shipping condition Storage Conditions Regulatory status Antibody/conjugate | Daudi, Raji and U266 cell lines. Human lymphocytes. Human lymph node or tonsil. Room temperature Store at 2 to 8 °C, Protect fluorescent conjugates from light, Note: store BSA-free antibodies at -10 to -35 °C For research use only (RUO) Conjugates: 0.1 mg/mL in PBS/0.05% BSA, Purified: 0.2 mg/mL in PBS/0.05% BSA, Purified: 0.2 mg/mL in PBS/0.05% BSA, O.05% BSA, Purified: 0.2 mg/mL in PBS/0.05% BSA, O.05% BSA, Purified: 0.2 mg/mL in PBS/0.05% BSA, O.05% BSA, Purified: 1 mg/mL in PBS/0.05% BSA, O.05% BSA, Purified: 1 mg/mL in PBS/0.05% BSA, O.05% BSA, Purified: 1 mg/mL in PBS/0.05% BSA, Purified: | | | |
| Shipping condition Storage Conditions Regulatory status Antibody/conjugate formulation | Daudi, Raji and U266 cell lines. Human lymphocytes. Human lymph node or tonsil. Room temperature Store at 2 to 8 °C, Protect fluorescent conjugates from light, Note: store BSA-free antibodies at -10 to -35 °C For research use only (RUO) Conjugates: 0.1 mg/mL in PBS/0.1% BSA/0.05% azide, HRP conjugates: 0.1 mg/mL in PBS/0.05% BSA, Purified: 0.2 mg/mL in PBS/0.05% BSA/0.05% azide, Purified, BSA-free: 1 mg/mL in PBS without azide Guaranteed for at least 24 months from date of receipt when | | | |
| Shipping condition Storage Conditions Regulatory status Antibody/conjugate formulation Shelf life | Daudi, Raji and U266 cell lines. Human lymphocytes. Human lymph node or tonsil. Room temperature Store at 2 to 8 °C, Protect fluorescent conjugates from light, Note: store BSA-free antibodies at -10 to -35 °C For research use only (RUO) Conjugates: 0.1 mg/mL in PBS/0.1% BSA/0.05% azide, HRP conjugates: 0.1 mg/mL in PBS/0.05% BSA, Purified: 0.2 mg/mL in PBS/0.05% BSA/0.05% azide, Purified, BSA-free: 1 mg/mL in PBS without azide Guaranteed for at least 24 months from date of receipt when stored as recommended | | | |
| Shipping condition Storage Conditions Regulatory status Antibody/conjugate formulation Shelf life Cell/tissue expression | Daudi, Raji and U266 cell lines. Human lymphocytes. Human lymph node or tonsil. Room temperature Store at 2 to 8 °C, Protect fluorescent conjugates from light, Note: store BSA-free antibodies at -10 to -35 °C For research use only (RUO) Conjugates: 0.1 mg/mL in PBS/0.1% BSA/0.05% azide, HRP conjugates: 0.1 mg/mL in PBS/0.05% BSA, Purified: 0.2 mg/mL in PBS/0.05% BSA/0.05% BSA-free: 1 mg/mL in PBS without azide Guaranteed for at least 24 months from date of receipt when stored as recommended B-cells, Lymphocytes Product may contain either bovine serum albumin (BSA) from bovine serum (Bos taurus), or recombinant BSA produced in | | | |

| Antibody # prefix | Conjugation | Ex/Em (nm) | Laser line | Detection channel | Dye Features |
|-------------------|-----------------------|------------|------------|-----------------------------|------------------|
| BNC04 | CF®405S | 404/431 | 405 | DAPI (microscopy), AF405 | CF®405S Features |
| BNC88 | CF®488A | 490/515 | 488 | GFP, FITC | CF®488A Features |
| BNC68 | CF®568 | 562/583 | 532, 561 | RFP, TRITC | CF®568 Features |
| BNC94 | CF®594 | 593/614 | 561 | Texas Red® | CF®594 Features |
| BNC40 | CF®640R | 642/662 | 633-640 | Cy®5 | CF®640R Features |
| BNC47 | CF®647 | 650/665 | 633-640 | Cy®5 | CF®647 Features |
| BNC74 | CF®740 | 742/767 | 633-685 | 775/50 | CF®740 Features |
| BNCB | Biotin | N/A | N/A | N/A | |
| BNUB | Purified | N/A | N/A | N/A | |
| BNUM | Purified, BSA-free | N/A | N/A | N/A | |

Alexa Fluor, Pacific Blue, Pacific Orange, and Texas Red are trademarks or registered trademarks of Thermo Fisher Scientific; Cy is a registered trademark of Cytiva; IRDye, LI-COR, and Odyssey are registered trademarks of LI-COR Bioscience.

This datasheet was generated on September 11, 2025 at 04:07:05 PM. Visit product page to check for updated information before use. Product link: https://biotium.com/product/cd20-ms4a1-monoclonal-mouse-antibody-l26/