Tenascin C Monoclonal Mouse Antibody (T2H5)



Product Description

In Western blotting, this antibody reacts with two bands of ~MW of 210 kDa and 300 kDa, identified as two isoforms of Tenascin C. Specificity of this MAb is validated by sequential immunoprecipitation with a PAb against Tenascin C. Tenascin C is a multifunctional, disulfide-linkedhexameric extracellular matrix glycoprotein expressed in association with mesenchymal epithelial interactions during development and in the neo-vasculature and stroma of undifferentiated tumors. In adults, it is restricted to certain epithelial-stromal interfaces and increases markedly in hyper-proliferative diseases and in stroma of many neoplasms, including gliomas, breast, squamous and lung carcinomas.

Primary antibodies are available purified, or with a selection of fluorescent CF® dyes and other labels. CF® dyes offer exceptional brightness and photostability. See the CF® Dye Brochure for more information. Note: Conjugates of blue fluorescent dyes like CF®405S and CF®405M are not recommended for detecting low abundance targets, because blue dyes have lower fluorescence and can give higher non-specific background than other dye colors.

Stock status: Because Biotium offers a large number of antibody and conjugation options, primary antibody conjugates may be made to order. Typical lead times are up to one week for CF® dye and biotin conjugates, and up to 2-3 weeks for fluorescent protein and enzyme conjugates. Please email order@biotium.com to inquire about stock status and lead times before placing your order.

Catalog number key for antibody number 0392, Anti-Tenascin (T2H5)

Call us: 800-304-5357

Antibody number	#0392		
Antibody reactivity (target)	Tenascin		
Antibody type	Primary		
Host species	Mouse		
Clonality	Monoclonal		
Clone	T2H5		
Isotype	IgG1, kappa		
Molecular weight	210 kDa and 300 kDa Cytotactin; Glioma-associated-extracellular matrix antigen; GMEM; GP 150-225; Hexabrachion (HXB); JI; Myotendinous antigen; Neuronectin; TNC		
Synonyms			
Human gene symbol	TNC		
Entrez gene ID	3371		
SwissProt	P24821		
Unigene	143250		
Immunogen	Human breast carcinoma		
Verified antibody applications	IHC (FFPE) (verified)		
Antibody target cellular	Extracellular matrix		
localization Species reactivity	Human		
Antibody application notes	Higher concentration may be required direct detection using primary antibod conjugates than for indirect detection with secondary antibody. Immunofluorescence: 0.5-1 ug/mL, Do not react with rat; others not known, Immunohistology formalin-fixed 2-4 ug/mL, Staining of formalin-fixed tissu requires boiling tissus escitions in 10 Tris with 1 mM EDTA, pH 9.0, for 10-min followed by cooling at RT for 20 minutes, Flow Cytometry 0.5-1 ug/mill cells/0.1 mL, Optimal dilution for a specific application should be determined by user		
Positive control	Extracellular matrix in tonsil and blood vessels. Stroma of many tumors such a breast, squamous cell, and lung carcinomas. Staining of normal fibroblasts serves as internal positive control		
Shipping condition	Room temperature		
Storage Conditions	Store at 2 to 8 °C, Protect fluorescent conjugates from light, Note: store		

Email: btinfo@biotium.com

BSA-free antibodies at -10 to -35 °C Guaranteed for at least 24 months from date of receipt when stored as Shelf life

recommended

Regulatory status For research use only (RUO)

Antibody/conjugate Conjugates: 0.1 mg/mL in PBS/0.1% BSA/0.05% azide, HRP conjugates: 0.1 mg/mL in PBS/0.05% BSA, Purified: 0.2 formulation mg/mL in PBS/0.05% BSA/0.05% azide, Purified, BSA-free: 1 mg/mL in PBS

Antibody research areas Cancer

Antibody # prefix	Conjugation	Ex/Em (nm)	Laser line	Detection channel	Dye Features
BNC04	CF®405S	404/431	405	DAPI (microscopy), AF405	CF®405S Features
BNC88	CF®488A	490/515	488	GFP, FITC	CF®488A Features
BNC68	CF®568	562/583	532, 561	RFP, TRITC	CF®568 Features
BNC94	CF®594	593/614	561	Texas Red®	CF®594 Features
BNC40	CF®640R	642/662	633-640	Cy®5	CF®640R Features
BNC47	CF®647	650/665	633-640	Cy®5	CF®647 Features
BNCB	Biotin	N/A	N/A	N/A	
BNUB	Purified	N/A	N/A	N/A	
BNUM	Purified, BSA-free	N/A	N/A	N/A	

Alexa Fluor, Pacific Blue, Pacific Orange, and Texas Red are trademarks or registered trademarks of Thermo Fisher Scientific; Cy is a registered trademark of Cytiva; IRDye, LI-COR, of LI-COR Bioscience.