

Vimentin Monoclonal Mouse Antibody (LN-6)



Product Description

This MAb reacts with a 58 kDa protein identified as vimentin. It reacts with a non-hematopoietic epitope of vimentin and shows no cross-reaction with other closely related intermediate filament proteins (IFP's) such as desmin, keratin, neurofilament, and glial fibrillary acid protein. Vimentin is ubiquitously expressed in mesenchymal cells such as fibroblasts, smooth muscle cells, and endothelium. Antibody against vimentin is useful as part of an antibody panel for differential diagnosis of tumors of unknown origin. Ab-2 does not react with leukocyte common antigen-positive tissues such as lymphomas and leukemias.

This antibody is available purified, with BSA (0.2 mg/mL) or purified, BSA-free (1 mg/mL). Catalog number key for antibody number 0060, Anti-Vimentin (LN-6)

Call us : 800-304-5357 Email: techsupport@biotium.com

Product attributes

FIGURE AUTORIES			
Antibody number	#0060		
Antibody reactivity (target)	Vimentin		
Antibody type	Primary		
Host species	Mouse		
Clonality	Monoclonal		
Clone	LN-6		
Isotype	IgM		
Molecular weight	57-60 kDa		
Synonyms	VIM		
Human gene symbol	VIM		
Entrez gene ID	7431		
SwissProt	P08670		
Unigene	455493		
Immunogen	Human thymic nuclear extract		
Antibody target cellular localization	Cytoskeleton		
Species reactivity	Cat, Cow, Human, Mouse, Pig, Rabbit, Rat, Sheep		
Verified antibody applications	IHC (FFPE) (verified)		
Expected antibody applications	IHC (frozen) (published for clone), IF (published for clone), IP (published for clone), WB (published for clone)		
Antibody application notes	Immunohistology formalin-fixed 1-2 ug/mL, Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min, Immunofluorescence 0.5-1 ug/mL, Flow Cytometry 0.5-1 ug/million cells/0.1 mL, Optimal dilution for a specific application should be determined by user		
Positive control	Jurkat cells, Sarcomas, Melanomas		
Shipping condition	Room temperature		
Storage Conditions	Store at 2 to 8 °C, Note: store BSA-free antibodies at -10 to -35 $^\circ\text{C}$		
Shelf life	Guaranteed for at least 24 months from date of receipt when stored as recommended		
Regulatory status	For research use only (RUO)		
Antibody research areas	Cancer, Cytoskeleton		
Antibody/conjugate formulation	Conjugates: 0.1 mg/mL in PBS/0.1% BSA/0.05% azide, HRP conjugates: 0.1 mg/mL in PBS/0.05% BSA, Purified: 0.2 mg/mL in PBS/0.05% BSA/0.05% azide, Purified, BSA-free: 1 mg/mL in PBS without azide		
Product origin	Product may contain either bovine serum albumin (BSA) from bovine serum (Bos taurus), or recombinant BSA produced in Chinese hamster ovary cells. Inquire for the specific lot.		

Antibody # prefix	Conjugation	Ex/Em (nm)	Laser line	Detection channel	Dye Features
BNC04	CF®405S	404/431	405	DAPI (microscopy), AF405	CF®405S Features
BNC88	CF®488A	490/515	488	GFP, FITC	CF®488A Features
BNC68	CF®568	562/583	532, 561	RFP, TRITC	CF®568 Features
BNC94	CF®594	593/614	561	Texas Red®	CF®594 Features
BNC40	CF®640R	642/662	633-640	Cy®5	CF®640R Features
BNC47	CF®647	650/665	633-640	Cy®5	CF®647 Features
BNC74	CF®740	742/767	633-685	775/50	CF®740 Features
BNCB	Biotin	N/A	N/A	N/A	
BNUB	Purified	N/A	N/A	N/A	
BNUM	Purified, BSA-free	N/A	N/A	N/A	

Alexa Fluor, Pacific Blue, Pacific Orange, and Texas Red are trademarks or registered trademarks of Thermo Fisher Scientific; Cy is a registered trademark of Cytiva; IRDye, LI-COR, and Odyssey are registered trademarks of LI-COR Bioscience.

References

Note: References for this clone sold by other suppliers may be listed for expected applications.

- 1. J Histochem Cytochem (1989) 37(9) 1363-1370. (IHC, FFPE; IHC, frozen; IF; IP)
- 2. Int J Toxicol (2007) 26:289-295. (IHC; WB)
- 3. Stem Cell Res Ther (2018) 9: 178 (Flow, intracellular)

This datasheet was generated on August 24, 2025 at 07:41:44 PM. Visit product page to check for updated information before use. Product link: https://biotium.com/product/monoclonal-anti-vimentin-In-6/