## TGF-Beta Monoclonal Mouse Antibody (1D11.16.8)



## **Product Description**

This MAb recognizes TGF beta 1, 2 and 3. Three TGF-betas have been identified in mammals. TGF-beta1, TGF-beta2 and TGF-beta3 are each synthesized as precursor proteins that are very similar in that each is cleaved to yield a 112 amino acid polypeptide that remains associated with the latent portion of the molecules. Biologically active TGF-beta requires dimerization of the monomers (usually homodimers) and release of the latent peptide portion. Overall, the mature region of the TGF-beta3 protein has approximately 80% identity to the mature region of both TGF-beta1 and TGF-beta2. However, the NH2 terminals or precursor regions of their molecules share only 27% sequence identity. TGF-beta's inhibit the growth of epithelial cells and stimulate the growth of mesenchymal cells.

Primary antibodies are available purified, or with a selection of fluorescent CF® dyes and other labels. CF® dyes offer exceptional brightness and photostability. See the CF® Dye Brochure for more information. Note: Conjugates of blue fluorescent dyes like CF®405S and CF®405M are not recommended for detecting low abundance targets, because blue dyes have lower fluorescence and can give higher non-specific background than other dye colors.

Stock status: Because Biotium offers a large number of antibody and conjugation options, primary antibody conjugates may be made to order. Typical lead times are up to one week for CF® dye and biotin conjugates, and up to 2-3 weeks for fluorescent protein and enzyme conjugates. Please email <a href="mailto:order@biotium.com">order@biotium.com</a> to inquire about stock status and lead times before placing your order.

Catalog number key for antibody number 0977, Anti-TGF-Beta (1D11.16.8)

## Product attributes

Product attributes			
Antibody number	#0977		
Antibody reactivity (target)	TGF-Beta		
Antibody type	Primary		
Host species	Mouse		
Clonality	Monoclonal		
Clone	1D11.16.8		
Isotype	IgG1, kappa		
Molecular weight	~13 kDa		
Synonyms	GP40; Leu9; p41; T-cell leukemia antigen; T-cell surface antigen Leu-9; Tp40; TP41		
Human gene symbol	TGFB1		
Entrez gene ID	7040 (beta1), 7042 (beta2) & 7043 (beta3)		
SwissProt	P01137 (beta1), P10600 (beta2) & P61812 (beta3)		
Unigene	645227		
Immunogen	Bovine TGF-beta2 protein		
Antibody target cellular localization	Secreted (extracellular)		
Species reactivity	Cow, Dog, Hamster, Human, Monkey, Mouse, Rat		
Expected antibody applications	Functional studies (published for clone), IHC (FFPE) (published for clone)		
Antibody application notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody, Cytokine neutralization or functional assay, order Ab without BSA/azide, Optimal dilution for a specific application should be determined by user		
Positive control	Salivary gland carcinoma		
Shipping condition	Room temperature		
Storage Conditions	Store at 2 to 8 °C, Protect fluorescent conjugates from light, Note: store BSA-free antibodies at -10 to -35 °C		
Shelf life	Guaranteed for at least 24 months from date of receipt when stored as recommended		
Regulatory status	For research use only (RUO)		
Antibody/conjugate formulation	Conjugates: 0.1 mg/mL in PBS/0.1% BSA/0.05% azide, HRP conjugates: 0.1 mg/mL in PBS/0.05% BSA, Purified: 0.2 mg/m in PBS/0.05% BSA/0.05% azide, Purified, BSA-free: 1 mg/mL PBS without azide		
Antibody research areas	Signal transduction		
Product origin  Product may contain either bovine serum albumin (BSA bovine serum (Bos taurus), or recombinant BSA produc			

Chinese hamster ovary cells. Inquire for the specific lot.

Call us: 800-304-5357 Email: techsupport@biotium.com

Antibody # prefix	Conjugation	Ex/Em (nm)	Laser line	Detection channel	Dye Features
BNC04	CF®405S	404/431	405	DAPI (microscopy), AF405	CF®405S Features
BNC88	CF®488A	490/515	488	GFP, FITC	CF®488A Features
BNC68	CF®568	562/583	532, 561	RFP, TRITC	CF®568 Features
BNC94	CF®594	593/614	561	Texas Red®	CF®594 Features
BNC40	CF®640R	642/662	633-640	Cy®5	CF®640R Features
BNC47	CF®647	650/665	633-640	Cy®5	CF®647 Features
BNC74	CF®740	742/767	633-685	775/50	CF®740 Features
BNCB	Biotin	N/A	N/A	N/A	
BNUB	Purified	N/A	N/A	N/A	
BNUM	Purified, BSA-free	N/A	N/A	N/A	

Alexa Fluor, Pacific Blue, Pacific Orange, and Texas Red are trademarks or registered trademarks of Thermo Fisher Scientific; Cy is a registered trademark of Cytiva; IRDye, LI-COR, and Odyssey are registered trademarks of LI-COR Bioscience.

## References

Note: References for this clone sold by other suppliers may be listed for expected applications.

- 1. Biol Reproduct (1992) 46: 561-572. (IHC, FFPE)
- 2. PLOS ONE 10(7): e0132786. (functional studies)

This datasheet was generated on August 29, 2025 at 10:50:02 AM. Visit product page to check for updated information before use. Product link: <a href="https://biotium.com/product/monoclonal-anti-tgf-beta-1d11-16-8/">https://biotium.com/product/monoclonal-anti-tgf-beta-1d11-16-8/</a>